

# Certificate Practice Statement

## Version history

Version	Valid from	Approved by (Title and name)	Comments
1.6	08.01.2026	COO / Christel Victoria Høst	General re-wording and alignment with standard terminology throughout the document for clarity and consistency. 1.6. updated accordingly.  Details about Penneo's qualified services, and clarifying differences between each type of service where applicable.  1.3.2 Added AusweisApp and approval of RAs.  1.3.5 Elaboration of other participants.  2.3, 4.9.7, 4.9.8 CRL validity and frequency.
1.5	26.11.2025	COO / Christel Victoria Høst	Minimum RSA key size changed from 2048 to 3072 for subscribers certificates under 6.1.5 and size of SubjectPublicKey under 7.1.
1.4	17.10.2025	COO / Christel Victoria Høst	Updated RSA key size for subordinate certificates under 6.1.5. Corrected error in URLs under 7.1.2.
1.3	26.05.2025	COO / Christel Victoria Høst	Updated company address under 2.2.1
1.2	20.12.2024	Information Security Manager / Fredrik Lernevall	Updated RAs in 1.3.2. Grammatical improvements and clarification of descriptions for improved readability. Contact persons under 1.5.2 and 1.5.3. Updated Certificate application processing 4.2 and subsections. Retention period under 5.5.2 and 6.3.1.
1.1	23.01.2023	Information Security Manager / Fredrik Lernevall	Updated OIDs in section 1.2 and URL for Penneo's Trust Center under section 2.2.1
1.0	21.11.2022	Information Security Manager / Fredrik Lernevall	First release

## Introduction

### 1.1. Overview

### 1.2. Document name and identification

### 1.3. PKI Participants

#### 1.3.1. Certification authority

##### 1.3.1.1 Root Certification Authority

##### 1.3.1.2. Subordinate certification authorities issuing certificates

##### 1.3.2. Registration Authority

1.3.3. Subscribers
1.3.4. Relying parties
1.3.5. Other participants
<b>1.4. Certificate usage</b>
1.4.1. Appropriate certificates uses
1.4.2. Prohibited certificate uses
<b>1.5. Policy administration</b>
1.5.1. Organization administering the document
1.5.2. Contact persons
1.5.3. Person determining suitability for the policy
1.5.4. Approval procedures
2. Publication and repository responsibilities
<b>2.1. Repositories</b>
<b>2.2. Publication of certificate information</b>
2.2.1. Published information
2.2.2. Unpublished information
<b>2.3. Time or frequency of publication</b>
<b>2.4. Access controls on repositories</b>
Identification and Authentication
<b>3.1. Naming</b>
<b>3.2. Initial identity validation</b>
3.2.1. Method to prove possession of private key
3.2.2. Authentication of organizational identity
3.2.3. Authentication of individual identity
3.2.4. Non-verified subscriber information
3.2.5. Validation of authority
3.2.6. Criteria for interoperation
<b>3.3. Identification and authentication for re-key request</b>
3.3.1. Identification and authentication for routine re-key
3.3.1.1. For subscribers
3.3.1.2. For CA's
3.3.2. Identification and authentication for re-key after revocation
<b>3.4. Identification and authentication for revocation request</b>
3.4.1. For subscribers
3.4.2. For CA's
3.4.3. For Penneo's seal and TSA certificates
Certificate life-cycle operational requirements
<b>4.1. Certificate application</b>
4.1.1. Who can submit a certificate application
4.1.2. Enrollment process and responsibilities
<b>4.2. Certificate application processing.</b>
4.2.1. Performing identification and authentication
4.2.2. Approval or rejection of certificate application
4.2.3. Time to process certificate applications
4.2.3.1. For CA's for qualified electronic signature, qualified Seal and qualified Time-Stamp
4.2.3.2. For subscribers
<b>4.3. Certificate issuance</b>
4.3.1. CA actions during certificate issuance
4.3.2. Notification to subscriber by the CA of issuance of certificate
<b>4.4. Certificate acceptance</b>
4.4.1. Conduct constituting certificate acceptance
4.4.2. Publication of certificate by the CA
4.4.3. Notification to subscriber by the CA of issuance of certificate

#### **4.5. Key pair and certificate usage**

##### **4.5.1. Subscriber private key and certificate usage**

4.5.1.1. Subscriber keys and certificates

##### **4.5.1.2. CA keys and certificates**

4.5.2. Relying party public key and certificate usage

#### **4.6. Certification renewal**

#### **4.7. Certificate re-key**

#### **4.8. Certificate modification**

#### **4.9. Certificate revocation and suspension**

4.9.1. Circumstances for revocation

4.9.1.1. For certification authorities

4.9.1.2. For subscriber certificates

4.9.2. Who can request revocation

4.9.2.1. For certification authorities

4.9.2.2. For subscriber certificates

4.9.3. Procedure for revocation request

4.9.3.1. For certification authorities

4.9.3.2. For subscriber certificate

4.9.4. Revocation request grace period

4.9.5. Time within which CA must process the revocation request

4.9.6. Revocation checking requirement for relying parties

4.9.7. CRL issuance frequency

4.9.8. Maximum latency for CRLs

4.9.9. On-line revocation/status checking availability

4.9.10. On-line revocation checking requirements

4.9.11. Other forms of revocation advertisement available

4.9.12. Special requirements re-key compromise

4.9.13. Circumstances for suspension

4.9.14. Who can request suspension

4.9.15. Procedure for suspension request

4.9.16. Limits on suspension period

#### **4.10. Certificate status services**

4.10.1. Operational characteristics

4.10.2. Service availability

4.10.3. Optional features

#### **4.11. End of subscription**

#### **4.12. Key escrow and recovery**

4.12.1. Key escrow and recovery police and practices

4.12.2. Session key encapsulation and recovery policy and practices

### **5. Facility, Management, and Operational Controls**

#### **5.1. Physical security controls**

5.1.1. Site location and constructions

5.1.2. Physical access

5.1.3. Power and air conditioning

5.1.4. Water exposures

5.1.5. Fire prevention and protection

5.1.6. Media Storage

5.1.7. Waste Disposal

5.1.8. Off-Site Backup

#### **5.2. Procedural controls**

5.2.1. Trusted roles

5.2.2. Number of persons required per task

5.2.3. Identification and authentication for each role

5.2.4. Roles requiring separation of duties

**5.3. Personnel controls**

5.3.1. Qualifications, experience, and clearance requirements  
5.3.2. Background check procedures  
5.3.3. Training requirements  
5.3.4. Retraining frequency and sequence  
5.3.5. Job rotation frequency and sequence  
5.3.6. Sanctions for unauthorized actions  
5.3.7. Independent contractor requirements  
5.3.8. Documentation supplied to personnel

**5.4. Audit logging procedures**

5.4.1. Types of events recorded  
5.4.2. Frequency of processing log  
5.4.3. Retention period for audit log  
5.4.4. Protection of audit log  
5.4.5. Audit log backup procedures  
5.4.6. Audit collection system (internal vs. external)  
5.4.7. Notification to event-causing subject  
5.4.8. Vulnerability assessment

**5.5. Records archival**

5.5.1. Types of records archived  
5.5.2. Retention period for archive  
5.5.3. Protection of archive  
5.5.4 Archive backup procedures  
5.5.5 Requirements for time-stamping of records  
5.5.6 Archive collection system (internal or external)  
5.5.6 Archive collection system (internal or external)  
5.5.7 Procedures to obtain and verify archive information

**5.6 Key changeover**

**5.7. Compromise and disaster recovery**

5.7.1 Incident and compromise handling procedures  
5.7.2 Computing resources, software, and/or data are corrupted  
5.7.3 Entity private key compromise procedures  
5.7.5 Business continuity capabilities after a disaster

**5.8 CA or RA termination**

5.8.1. CA termination  
5.8.2. RA termination

**TECHNICAL SECURITY CONTROLS**

**6.1 Key pair generation and installation**

6.1.1 Key pair generation  
6.1.2 Private key delivery to subscriber  
6.1.3 Public key delivery to certificate issuer  
6.1.4 CA public key delivery to relying parties  
6.1.5 Key sizes  
6.1.6 Public key parameters generation and quality checking  
6.1.7 Key usage purposes (as per X.509 v3 key usage field)

**6.2 Private Key Protection and Cryptographic Module Engineering Controls**

6.2.1 Cryptographic module standards and controls  
6.2.2 Private key (n out of m) multi-person control  
6.2.3 Private key escrow  
6.2.4 Private key backup  
6.2.5 Private key archival  
6.2.6 Private key transfer into or from a cryptographic module

- 6.2.7 Private key storage on cryptographic module**
- 6.2.8 Method of activating private key**
- 6.2.9 Method of deactivating private key**
- 6.2.10 Method of destroying private key**
- 6.2.11 Cryptographic Module Rating**
- 6.3 Other aspects of key pair management**
  - 6.3.1 Public key archival**
  - 6.3.2 Certificate operational periods and key pair usage periods**
- 6.4 Activation data**
  - 6.4.1 Activation data generation and installation**
  - 6.4.2 Activation data protection**
  - 6.4.3 Other aspects of activation data**
- 6.5 Computer security controls**
  - 6.5.1 Specific computer security technical requirements**
  - 6.5.2 Computer security rating**
- 6.6 Life cycle technical controls**
  - 6.6.1 System development controls**
  - 6.6.2 Security management controls**
  - 6.6.3 Life cycle security controls**
- 6.7 Network security controls**
- 6.8 Time-stamping**

## CERTIFICATE, CRL, AND OCSP PROFILES

- 7.1 Certificate profile**
  - 7.1.1 Version number(s)**
  - 7.1.2 Certificate extensions**
  - 7.1.3 Algorithm object identifiers**
  - 7.1.4 Name forms**
  - 7.1.5 Name constraints**
  - 7.1.6 Certificate policy object identifier**
  - 7.1.7 Usage of Policy Constraints extension**
  - 7.1.8 Policy qualifiers syntax and semantics**
  - 7.1.9 Processing semantics for the critical Certificate Policies extension**

- 7.2 CRL profile**
  - 7.2.1 Version number(s)**
  - 7.2.2 CRL and CRL entry extensions**

- 7.3 OCSP profile**
- 8. Compliance Audit and other Assessments**
  - 8.1 Frequency or circumstances of assessment**
  - 8.2 Identity/qualifications of assessor**
  - 8.3 Assessor's relationship to assessed entity**
  - 8.4 Topics covered by assessment**
  - 8.5 Actions taken as a result of deficiency**
  - 8.6 Communication of results**

## 9. Other Business and Legal Matters

- 9.1 Fees**
  - 9.1.1 Certificate issuance or renewal fees**
  - 9.1.2 Certificate access fees**
  - 9.1.3 Revocation or status information access fees**
  - 9.1.4 Fees for other services**
  - 9.1.5 Refund policy**
- 9.2 Financial responsibility**
  - 9.2.1 Insurance coverage**
  - 9.2.2 Other insurance and assets**

9.2.3 Insurance or warranty coverage for end-entities
<b>9.3 Confidentiality of business information</b>
9.3.1 Scope of confidential information
9.3.2 Information not within the scope of confidential information
9.3.3 Responsibility to protect confidential information
<b>9.4 Privacy of personal information</b>
9.4.1 Privacy plan
9.4.2 Information treated as private
9.4.3 Information not deemed private
9.4.4 Responsibility to protect private information
9.4.5 Notice and consent to use private information
9.4.6 Disclosure pursuant to judicial or administrative process
9.4.7 Other information disclosure circumstances
<b>9.5 Intellectual property rights</b>
<b>9.6 Representations and warranties</b>
9.6.1 CA representations and warranties
9.6.1.1 Penneo's Qualified Root CA
9.6.2 RA representations and warranties
9.6.3 Subscriber representations and warranties
9.6.4 Relying party representations and warranties
9.6.5 Representations and warranties of other participants
<b>9.7 Disclaimers of warranties</b>
<b>9.8 Limitations of liability</b>
<b>9.9 Indemnities</b>
<b>9.10 Term and termination</b>
9.10.1 Term
9.10.2 Termination
9.10.3 Effect of termination and survival
<b>9.11 Individual notices and communications with participants</b>
<b>9.12 Amendments</b>
9.12.1 Procedure for amendment
9.12.2 Notification mechanism and period
<b>9.12.3 Circumstances under which OID must be changed</b>
<b>9.13 Dispute resolution provisions</b>
<b>9.14 Governing law</b>
<b>9.15 Compliance with applicable law</b>
<b>9.16 Miscellaneous provisions</b>
9.16.1 Entire agreement
9.16.2 Assignment
9.16.3 Severability
9.16.4 Enforcement (attorneys' fees and waiver of rights)
9.16.5 Force Majeure
<b>9.17 Other provisions</b>

## Introduction

This Certification Practice statement describes the procedures, activities and rules that apply to Penneo's certification policies (hereinafter CPs) that Penneo has applied to its public key infrastructure services (hereinafter PKI Services). As a qualified trust service provider, Penneo implements the CPS and CPs in the trust service.

Qualified certificates are processed for qualified remote electronic signature, electronic seal, and time stamps. Furthermore, certificates are also processed for advanced remote electronic signature and seal.

Penneo's trust services are in accordance with Regulation (EU) No 910/2014 amended by Regulation (EU) 2024/1183 (hereafter referred to as "eIDAS"), including associated implementing regulations and technical standards.

The PKI services, including services of certification authorities (CAs services), provide qualified services to subscribers on the basis of a contractual relationship between Penneo A/S and Registration Authorities/Identity Providers in accordance with eIDAS article 24, 1.

The term "certificate" is used for all certificates issued by Penneo's root CA and subordinate CAs.

Penneo implements its PKI infrastructure in Penneo's application (the Platform), which is partly hosted in a co-location data center and partly built in a public cloud environment for higher availability. Both the co-location hosting provider as well as the public cloud hosting provider are certified and regularly audited and fulfil the conditions and requirements of eIDAS regulation and relevant technical standards.

The document describes the life-cycle processes of the certificates and follows the structure of the standard RFC 3647, taking into account the valid technical standards and principles.

## 1.1. Overview

The document is divided into nine chapters:

**Chapter 1** - provides 1) information about this document with a unique identifier, 2) description of the entities involved in the preparation, organisation and administration of the operation, 3) description of the implementation of Penneo's services, and 4) defines the appropriate and prohibited use of certificates.

**Chapter 2** - describes the role of the repository, the responsibilities for publishing information, time frequency of publication, and repository approaches and accesses.

**Chapter 3** - describes the process of identification and authentication for the creation of a certificate, respectively certificate revocation or suspension. Describes methods for proving possession of a user's private keys and the uniqueness of names.

**Chapter 4** - describes the processes of the complete certificate lifecycle: the application for issuance, the process of issuing certificates, confirmation and approval of certificates, including notification of certificate issuance. The chapter also covers certificate revocation process, re-key and revocation lists.

**Chapter 5** - describes the principles of physical, procedural and personnel security, audit activities and logged events.

**Chapter 6** - describes the technical side of security of public and private key generation, cryptographic standards, algorithms used. Describes methods for activating and deactivating private keys. It addresses computer and network security, their principles and required control mechanisms.

**Chapter 7** - describes certificate profiles and CRL profiles.

**Chapter 8** - describes the area of compliance audit, assessment and evaluation of the provided services.

**Chapter 9** - describes topics of financial and legal requirements, fee policy, termination of CA activities and other requirements.

## 1.2. Document name and identification

The document has no OID.

This CPS applies to the following certification policies:

1.3.6.1.4.1.57006.1.1.1.4 CP for Penneo's Root CA, (algorithm RSA).

1.3.6.1.4.1.57006.1.2.10.1.2 CP for Penneo's subordinate CA issuing qualified Certificates for remote electronic signature, (algorithm RSA).

1.3.6.1.4.1.57006.1.2.20.1.2 CP for Penneo's subordinate CA issuing qualified Certificate for remote time stamps, (algorithm RSA).

1.3.6.1.4.1.57006.1.2.30.1.3 CP for Penneo's subordinate CA issuing qualified certificate for remote seals, (algorithm RSA).

## 1.3. PKI Participants

### 1.3.1. Certification authority

Penneo has implemented a two-tier CA structure. Self-signed certificates for Root CA and certificates for subordinate CAs.

The Root CA issues certificates for:

- Subordinate Time Stamp Authority (TSA) and
- Certification Authority for remote electronic signature and electronic seal.

#### 1.3.1.1 Root Certification Authority

The Root Certification Authority (Root CA) is offline, meaning it is neither connected to an internal nor external network. The Root CA is physically formed by a dedicated computer and a secure cryptographic module containing a private key.

Access to the Root CA's private key is strictly managed and described in internal procedures.

The PKI infrastructure is used for all qualified services provided through Penneo's qualified trust service.

#### 1.3.1.2. Subordinate certification authorities issuing certificates

- Subordinate/intermediate CA issues certificates for qualified and remote electronic signature and seal
- Timestamp CA issues certificates for qualified remote time stamps.

### 1.3.2. Registration Authority

In accordance with the provisions of this CPS, Penneo uses services of external companies in the role of Registration Authorities (RA).

These registration authorities perform well-defined activities and procedures for subscribers' registration process, subscribers' identification and authentication, and provide subscribers with a unique identifier (subscriber ID). A Subscribers ID is used by Penneo's digital signature platform.

The RAs are acting in the role of Identity providers (IP).

For the issuance of qualified certificates, the RAs fulfill the requirements of eIDAS art. 24.1 - either as Notified electronic identification means with High level of assurance (LoA), or as other identification methods, which ensure the identification of the subscriber with a high level of confidence, the conformity of which has been confirmed by a conformity assessment body.

For the issuance of non-qualified certificates, the RAs fulfil the requirements of eIDAS art. 26,

RAs include:

- Belgian eID - <https://eid.belgium.be/> - Notified eID at LoA High
- Norwegian BankID - <https://bankid.no/> - Notified eID at LoA High and Substantial

- Danish MitID - <https://www.mitid.dk/> - Notified eID at LoA High and Substantial using a dedicated hardware token or mobile app + pin code
- ID Verifier - <https://ingroupe.com/product/id-verifier/> - smartphone app verifying the subscriber's identity using their NFC enabled passport and face verification, conformity assessed by a CAB
- German eID through AusweisApp - <https://www.ausweisapp.bund.de/home> - Notified eID at LoA High
- Swedish BankID - <https://www.bankid.com/> - Notified eID at LoA Substantial

The authentication method will depend on the given RA and can include a mobile app, physical smartcard, pin code, token or a combination of these.

Other RAs that fulfill the requirements of eIDAS can also be used. Other RAs that fulfill the requirements of eIDAS can also be used. Each RA is approved by Penneo before it is integrated in the Platform, by inspecting its documentation and Notified status or CAB certification, as well as relevant documents. All RAs are reviewed periodically and at least annually to ensure they continue to meet the requirements.

Penneo accesses the RA services through Broker platforms, based on bilateral contracts:

- E-Ident, provided by IN Groupe (formerly Nets) - <https://ingroupe.com/product/e-ident/>
- IN Groupe Signaturgruppen - <https://www.signaturgruppen.dk/>

### 1.3.3. Subscribers

Penneo's PKI Services issue certificates:

- a.) For the subscribers (customers and signers) - certificates for signing, sealing and time-stamp are issued for a subscriber's usage - who use and rely on the Penneo Platform through internet connection.
- b.) For certification authorities - certificates are issued by Penneo for the Root CA and subordinates/intermediates certification authorities.

All PKI services are remote and qualified.

### 1.3.4. Relying parties

Relying parties are entities (natural or legal) that rely on and use certificates issued by Penneo's CA services in their activities. They verify electronic signatures of subscribers and electronic seals based on the CA's hierarchy. See the respective certification policies for more information (for electronic signature, seal and timestamp).

### 1.3.5. Other participants

Penneo relies on third-party suppliers to perform certain activities on a contractual basis:

- Registration Authorities in the role of Identity Providers,
- Data centre services,
- Hardware suppliers,
- Software suppliers,
- Cloud solution provider,
- Time synchronisation service provider.

The suppliers' obligations and liabilities are described in the bilateral contracts with Penneo. Relevant parts are mentioned in Penneo's internal documentation.

Penneo is fully responsible for the activities of the contracted suppliers. Risk assessments are performed. In the case of a breach, an investigation is conducted. Based on the results, the supplier may incur a penalty or termination.

Penneo secures stable operation but is not liable for irregularities in operations caused by factors that are outside Penneo's control. Penneo will restore normal operations as soon as possible according to internal Business continuity procedures.

Penneo ensures availability of the Platform during the term of the Agreement - uptime of 99.9%.

Other participating entities may be:

- supervisory authorities
- law enforcement authorities.

## **1.4. Certificate usage**

### **1.4.1. Appropriate certificates uses**

The Root CA certificate may only be used to authenticate certificates issued by that Root CA, and to verify the lists of revoked certificates (CRLs) issued by this root CA.

Certificates issued by Subordinate CA for remote electronic signature and seal may only be used to verify activities through certificates and lists of revoked certificates (CRLs) issued by this CA.

Certificates of Time-stamp certification authority may only be used for verification of time-stamps issued by this CA and Certificate revocation lists (CRLs) issued by this CA.

The certificate application is included in the Certificate.

### **1.4.2. Prohibited certificate uses**

Unauthorized use of a certificate means any use of the certificate that is in conflict with the type of certificate and the CP under which it was issued.

## **1.5. Policy administration**

### **1.5.1. Organization administering the document**

Penneo administers and manages this document.

### **1.5.2. Contact persons**

The contact persons related to this document are:

- Information Security Manager - responsible for the policies governing the trust service
- Platform Manager - responsible for the technical operation of the trust service
- Product Manager - responsible for the functionality of the trust service

All questions and/or comments concerning this document shall be addressed to: [trustservice@penneo.com](mailto:trustservice@penneo.com)

### **1.5.3. Person determining suitability for the policy**

The persons determining the suitability of this document are:

- Platform Manager - responsible for the technical operation of the trust service
- Information Security Manager - responsible for the policies governing the trust service.

Results and recommendations from an eIDAS accredited auditor are considered by the responsible persons when determining the suitability of this document.

### **1.5.4. Approval procedures**

The approval procedures and processes are managed by Penneo's managers. They determine employees performing the update, modification or changes based on these procedures.

The final version of the performed update/modification is approved according to internal responsibilities by Penneo's managers.

## Definitions

Penneo's CA Services	A set of certification authorities which is possible to use during electronic signature and electronic sealing - Root CA, subordinate CA, TimeStamp CA.
Penneo's PKI Services	Penneo's CA Services and qualified services for remote electronic signature and remote electronic sealing and stamping.
Certificate	A data message issued by a certification service provider combines data (code or public cryptographic keys that are used to verify an electronic signature) to verify signatures with the signer and allows to verify his/her identity.
Public Certificate Registry/Repository	An electronic registry where certificates and lists of revoked end-user certificates and service certificates are published. It is accessible according to the rules defined in the Certification Practice Statement or Certification Policy (CPS/CP) document.
Certificate policy (CP)	A set of rules that assess the applicability of certificates within individual groups and / or classes of applications in accordance with security requirements and is supported by Certification Practice Statement (CPS). It relates to the use of the certificate and to the use of data for the verification of the electronic signature of the holder for which the certificate has been issued.
Certificate Practice Statement (CPS)	It forms the framework of the rules set by the CP. They define in their procedures, provisions and regulations the requirements for all services entering the registration and certification process.
Certificate Revocation List /Repository(CRL)	List of expired certificates published by the Certification Authority to the Public Certificate Registry/repository (LDAP)
Electronic Signature	It expresses the general concept of signature, which is applied in an electronic environment. A wide range of means and technologies are used to generate this signature, including digital signatures and biometric methods. These are data in electronic form, which are attached to or logically connected to the data message and which enable the verification of the identity of the signer in relation to the data message.
Digital Signature	It is based on the use of cryptography (cryptosystems) with a public key. Currently, this term is used to refer to a special type of

	electronic signature. This type of electronic signature is used to verify the identity of the sender of the message or the person who signed the message. It is also used to verify that the message to which the digital signature was attached is not altered/modified.
Asymmetric cryptography - RSA	The principle of the method is that data encrypted by one of the keys can only be decrypted with knowledge of the other of the key pair and vice versa. One of the keys is called private, the other public. The RSA algorithm is used for asymmetric cryptography.
Private key	Data for creating a digital signature. Private part of an asymmetric key pair for cryptographic purposes. Used to sign and decrypt messages.
Public Key	Digital signature verification data. Public part of an asymmetric key pair for cryptographic purposes. Used to encrypt messages and verify digital signatures.
Registration Authority (RA)	Companies which are responsible for verifying the application for a certificate, identifying and authorizing the subscriber.
Electronic Seal	An electronic seal is a piece of data attached to an electronic document or other data, which ensures data origin and integrity.
Revoke the certificate	To terminate the certificate based on the responsible user's/manager's request. The certificate cannot be renewed.
Suspension of the certificate	Suspend the certificate based on the responsible user's/manager's request. Validity can be renewed.
Relying Party	An entity that relies on trust in a certificate and an electronic signature verified using that certificate.
Root CA	CA issuing certificates to Subordinate CA
OCSP responder	A server that provides public key status information in a certificate using OCSP protocol
Subordinate CA	CA issuing certificates to subscribers and relying services
TimeStamp CA	CA issuing certificates with time-stamp to subscribers

## Acronyms

eIDAS	REGULATION (EU) 2024/1183 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 11 April 2024 amending Regulation (EU) No 910/2014 on electronic identification and trust services for electronic transactions in the internal market (eIDAS 2 Regulation) provides a predictable regulatory environment to enable secure and
-------	--

	seamless electronic interactions between businesses, citizens and public authorities.
PKI	Public Key Infrastructure - set of services (HW and SW) performing the all activities concerning to certificate life-cycle.
EJBCA	PrimeKey's EJBCA is one of the longest running CA software projects, providing time-proven robustness and reliability. EJBCA is platform independent, and can easily be scaled out to match the needs of your PKI requirements, whether you're setting up a national eID, securing your industrial IOT platform or managing your own internal PKI. EJBCA covers all your needs - from certificate management, registration and enrolment to certificate validation. Software provided by PrimeKey. <a href="https://www.primekey.com/">https://www.primekey.com/</a>
LDAP	Lightweight Directory Access Protocol - Public Certificate Registry
OID	Object identifier (OID) - is an identifier mechanism used for naming objects based on a recognised standard by the International Telecommunication Union (ITU) and ISO/IEC that ensures globally unambiguous persistent names.
RA	Registration authority
IP	Identity providers
CA	certificate authority
TSA	Time stamp authority
UTC	Coordinated universal time
TSP	Trust service provider
HSM	Hardware security module
CRL	Certificate revocation list
CCID	Chip card interface device
DKEK	Device Key Encryption Key
UPS	Uninterruptible Power Supply
RQSCD	Remote Qualified Signature Creation Device Remote Qualified Seal Creation Device
SAM	Signature Activation Module
SAD	Signature Activation Data
SAP	Signature Activation Protocol
SIC	Signer Interaction Component
EULA	End User License Agreement

## 2. Publication and repository responsibilities

### 2.1. Repositories

Penneo operates repositories of private and public information and documentation.

Repositories are divided to:

- The public information presented via Penneo web pages;
- The part of internal documentation (for internal usage only);
- And the public repository implemented for issued certificates.

Public information includes:

- Certification Practice Statement;
- Certificate policies;
- Particular Practice Statements;
- Particular Disclosure statements;
- CAs and root CA certificates;
- Lists of revoked certificates - Certificate Revocation List (CRL);
- Documents based on the applicable law.

## 2.2. Publication of certificate information

### 2.2.1. Published information

**Address of Company:** Gærtorvet 1-5, DK-1799 København V

Internet address: <https://www.penneo.com>

The publication of root CA certificates, subordinate CAs, certificates for electronic signature, seal and timestamps are available on the Penneo web pages and contain mainly:

- Certificate number;
- Name (contents from common name structure);
- Period of validity of the certificate;
- Object identifier of policy (OID policy);
- CRL address.

Certification policies, Practice statements, Disclosure statements and CPS can be viewed at:

<https://eutl.penneo.com/>

Certificate revocation list (CRL) contains information about:

- the date the CRL was issued;
- the CRL number;
- and the link where the CRL is available - included in a certificate.

The list of subscriber certificates are published in the public certificate repository. Details are described in particular CP.

Access to published information is realized via Internet protocols - HTTPS.

### 2.2.2. Unpublished information

Penneo reserves the right not to disclose information in accordance with internal security policies, procedures and processes.

## 2.3. Time or frequency of publication

Penneo issues public CA certificates and relevant Trust Service documents via designated public channels. See 2.1 and 2.2.

CA Certificates are published as soon as possible after they have been issued.

The frequency of issuing the CRL of the Root CA is minimum every 180 days, with a validity time of 180 days. Issued certificates are published immediately after approval of the root CA.

Current CP version is published immediately after approval including the version number.

Information about revoked certificates for some PKI services is published immediately.

## 2.4. Access controls on repositories

Public published information is accessible on Penneo's web pages in read only format. Access control prevents unauthorized access to modify, delete or add entries into repository.

# Identification and Authentication

## 3.1. Naming

The naming scheme of Penneo's trust services is approved by Penneo's managers and implemented by authorized Penneo employees during initialization process for root and subordinate CAs, as well as seal and TSA certificates.

Naming of subscribers is based on the Registration Authority's process. The Platform initiates a session with the RA. If the subscriber successfully completes the RA's process within the session, RA sends the subscriber's data to the Platform as an e\_token, signed by their key, and following the OpenID Connect protocol. The data includes the subscriber's given name, surname and unique ID, as well as the identity provider and information about assurance level. Remote signature process can start.

## 3.2. Initial identity validation

Initial identity validation and verification of subscribers is performed through defined rules and procedures of Registration Authorities. The subscriber identity and, if applicable, any specific attributes of the subscriber, shall be verified: a) by the physical presence of the subscriber on RA contact places; or b) using electronic identification methods that ensure the identification of the subscriber with a high level of confidence, the conformity of which has been confirmed by a conformity assessment body, or c) using electronic identification methods that are notified with high level of assurance for qualified certificates, or with substantial level of assurance for non-qualified certificates.

Registration Authorities implement the process of subscriber identification and validation and issue them subscriber Identifier (subscriber ID) for the Platform signature processes.

### 3.2.1. Method to prove possession of private key

#### Subscriber's private key:

Private key ownership is realized through the following process:

- The subscriber is unambiguously identified through an RA/IP's process. Their unique subscriber ID issued by the RA/IP is sent to Penneo's Platform as an e\_token following the OpenID Connect protocol, if the verification is successful. The Platform validates the origin and content of the e\_token.

- The subscriber ID is used by the Platform as input for an automated process.
- Before allocation of a key pair and issuing of a certificate, the subscriber confirms their name as provided by the RA/IP and agrees to the Signature Acceptance Note, thereby accepting Penneo's End User License Agreement, certificate documentation, policies and practice statements.
- The Platform communicates with the PKI services as described in internal processes in order to generate a key pair and a certificate. This process is fully automated and remote. The private key is managed using a Remote Qualified Signature Creation Device with a HSM.
- The subscriber can exclusively use the private key and certificate for the automated process of remote qualified signature creation through the Platform within a given signing session.

#### **Penneo's seal and TSA keys:**

Private keys for Penneo's seal and TSA certificates are saved in the HSM. Their key pair generation is performed with participation of Penneo's authorized employees and under controls of Penneo's management. The process follows a written procedure as defined internally and is recorded.

#### **TSP's private keys:**

Penneo possesses private keys for the management of its PKI. The possession of private keys - used only by Penneo for the root CA and subordinates CAs - is strictly managed internally.

### **3.2.2. Authentication of organizational identity**

Procedures are described in a specific CP (see chapter 3.2.2).

Everything about authentication process for subscribers is carried out in a particular RA.

### **3.2.3. Authentication of individual identity**

Procedures are described in a specific CP (see chapter 3.2.3.). Authentication of individual identity for root CA and subordinates CA is managed during initialization process.

Identification and authentication of individual identity (customer/signer) is performed by a RA/IP. A RA/IP uses processes and means supporting unambiguous identification and authentication according to eIDAS and applicable standards before issuing a subscriber's ID identifier. Without an issued subscriber's ID it is not possible to start the remote and automated process of the Platform for remote and qualified electronic signature.

### **3.2.4. Non-verified subscriber information**

Non-verified information is described in a specific CP, for more information see chapter 3.2.4.

The RA's procedures for subscriber ID verification include error handling when the subscriber's attempt to complete the identification is unsuccessful. The RA limits how many times a subscriber can re-try within a given session.

If the subscriber does not complete the RA's process, an error is shown when they return to the Platform and they cannot continue the process. The same is true if the Platform cannot verify the subscriber ID information in the e\_token, or the validity of the e\_token itself.

In both cases the subscriber will need to initiate a new session and repeat the RA's procedure from the start.

### **3.2.5. Validation of authority**

Penneo's PKI services use the subscriber's ID identifier and further data from the corresponding subscriber's electronic token (e\_token) for generation of a key pair and issuing a certificate as an input for remote automated process of electronic signature via internet connection.

Validation of Penneo's CA is performed through defined application processes through CA's hierarchy verification. Penneo's organizational entity is included in each certificate together with the subscriber's identity.

The certificates of the subordinated CAs are implemented into the Platform's application processes which perform activities for electronic signature and seal based on Penneo's CA hierarchy.

### **3.2.6. Criteria for interoperation**

Penneo's CAs and PKI structure is created to allow subscribers to create remote qualified electronic signatures. It also enables the addition of qualified timestamps as part of the signature creation, and addition of Penneo's qualified electronic seal to the signed documents. Penneo's CAs and PKI do not implement connections with other CAs or other ways of interoperability.

## **3.3. Identification and authentication for re-key request**

Penneo's CA services for qualified electronic signature issues qualified certificates with a time-limited validity to subscribers.

### **3.3.1. Identification and authentication for routine re-key**

#### **3.3.1.1. For subscribers**

Not supported.

#### **3.3.1.2. For CA's**

Re-key is not supported. The new common name of the particular CA's certificate is implemented and new pairs are generated.

### **3.3.2. Identification and authentication for re-key after revocation**

Penneo's CA does not support re-key after revocation.

## **3.4. Identification and authentication for revocation request**

#### **3.4.1. For subscribers**

Revocation requests for subscribers is not supported. The CA issues qualified certificates with a time limited validity to subscribers and certificates are used for one time usage only.

#### **3.4.2. For CA's**

Identification and authentication for CAs services is implemented through a specified request from Penneo authorized and responsible Penneo employees. Process is based on specified internal conditions and revocation is approved by a Penneo manager.

#### **3.4.3. For Penneo's seal and TSA certificates**

The requests for revocation is implemented through a request from Penneo's authorized and responsible employee based on specified internal conditions. The request has to be approved by Penneo's management.

# **Certificate life-cycle operational requirements**

## **4.1. Certificate application**

### **4.1.1. Who can submit a certificate application**

An application for a remote electronic signature certificate may be submitted automatically via internet connection by a subscriber (natural person) with subscriber's ID identifier issued by a particular RA/IP.

Penneo does not issue certificates for electronic seal and timestamp for other legal entities.

For Penneo CAs all is managed by internal rules approved by Penneo manager.

#### **4.1.2. Enrollment process and responsibilities**

The certificate enrollment processes are specified in the corresponding CP for remote electronic signature, seal and time stamp.

The subscriber has to provide true and accurate data to a Registration Authorities during the enrollment process. The subscriber receives a unique subscriber ID after successful enrolled process, which is defined by the RA. Data provided by the RA to the Platform, including that subscriber ID is used in the Platform for electronic signature processes. The enrollment process is fully automated and is performed by the Platform.

Subordinates CA responsibility is to implement the process of electronic signature, seal and time stamp exactly according to this CPS and the corresponding CP for remote electronic signature, seal and time stamp and comply with law and EU regulation.

Penneo is responsible for cooperation with external parties - suppliers.

### **4.2. Certificate application processing.**

Certificate application processing is described in corresponding CPs. The use cases of Penneo's signatures, seals and timestamps are described below.

#### **Use of signatures**

A customer authenticates on the Platform, then uploads documents for electronic signature and specifies names and emails of signers. Signers receive a request for signature via email or other appropriate client, containing a unique link to the Platform.

Upon receipt of the signature request, the signer accesses the SIC via the link, reads the document(s) and selects an approved Registration Authority. The Platform initiates a session with the RA. The signer completes the RA's process for identification and authentication, and the RA sends an e\_token to the Platform containing the signer's unique ID data.

The Platform validates the returned e\_token, its subscriber ID data, assurance level and origin to determine whether the certificate to be issued can be Qualified. A Signature and Acceptance note is displayed to the Signer for approval alongside the data to sign, legal conditions and information about Penneo's qualified trust services.

The signer verifies all data and confirms. The remote signing process starts. A key pair generated in the Remote Qualified Signature Creation Device (RQSC) is assigned to the signer, and the signer's certificate is issued.

#### **Use of seals**

Once the remote electronic signature process is finished, the Platform uses Penneo's certificate for electronic seal to seal the document. This process is described in Penneo's CP for remote electronic seal, and internal security procedures.

#### **Use of timestamps**

Penneo applies qualified timestamps to the signatures and seals that are issued during the processes described above.

#### **4.2.1. Performing identification and authentication**

The identification and authentication process for valid subscriber ID is described in chapters 3.2.2. and 3.2.3. and internal procedures of the particular RA.

The identification and authentication process for Penneo's root CA and subordinate CAs, as well as issuance of seal and TSA certificates, is managed by Penneo

#### **4.2.2. Approval or rejection of certificate application**

The process of certificate rejection or approval is based on the appropriate identification of the subscriber facilitated by the RA. Penneo's Platform checks the subscriber ID and identity data provided by the RA in an e\_token. The Platform verifies that the e\_token is valid, signed by the RA's private key, and whether the identification data is compliant with the requirements for the qualified certificate profile.

If the e\_token does not contain the necessary data or cannot be validated, the request is rejected. If identification data is not provided by the RA within the subscriber's session, the request is also rejected. In both cases, an error is shown to the subscriber on the platform.

In terms of issuing root CA or subordinates CAs certificates, as well as seal and TSA certificates, the complete process is based on Penneo's internal security procedures and all such activities are documented

#### **4.2.3. Time to process certificate applications**

##### **4.2.3.1. For CA's for qualified electronic signature, qualified Seal and qualified Time-Stamp**

Penneo's security manager will review applications in a timely manner and ensure applications are appropriately processed. The certificate is issued during 3 working days after request.

##### **4.2.3.2. For subscribers**

The certificate issuance begins immediately and is completed within seconds, once the subscriber has completed the RA/IP's process and confirmed the intent to sign the document(s), and once the automated validation that all requirements have been met is completed.

### **4.3. Certificate issuance**

#### **4.3.1. CA actions during certificate issuance**

The process of subscribers key pairs generating and issuing certificates is fully automated and is implemented in a secure cryptographic module remotely.

Specific procedures are given in the particular CP, see chapter 4.3.1.

Issuing of CAs certificates is managed by internal procedures and scenarios. A protocol about CAs keys generation, issuing of certificates and their implementation is written and signed. Processes are performed inside a secure room with the participation of employees defined in advance by Penneo manager.

#### **4.3.2. Notification to subscriber by the CA of issuance of certificate**

Issued certificates are generated for subscribers inside the secure cryptographic module and are stored in the public repository.

The Platform through internet communication between the Platform and subscriber's browser performs all necessary activities concerning to usage of the electronic signature, sealing and time stamping of documents. The process is fully automated.

CA's certificates are published on Penneo web pages. Subscribers can download and verify them.

### **4.4. Certificate acceptance**

By accepting to sign a document, the subscriber accepts Penneo's End User License Agreement (EULA), as per the Signature and Acceptance note presented during the signing process. As part of the generation of a remote

electronic signature, they accept the certificate issued, and that Penneo manages the keys on their behalf. The subscriber also accepts that Penneo's certificates are used to generate qualified timestamps, and a qualified seal for the signed document.

#### **4.4.1. Conduct constituting certificate acceptance**

The process is described in the internal documentation. The acceptance of subscribers certificate is a fully automated process and it is part of the Platform.

Certificates of CAs services are accepted during initialization phases of keys generation and certificate issuing.

#### **4.4.2. Publication of certificate by the CA**

The certificates from Penneo's CA's are published by Penneo on the website stated under 2.2.1.

Subscribers' certificates are published in the public registry.

#### **4.4.3. Notification to subscriber by the CA of issuance of certificate**

The services of key generation, certificate issuance and notification that the certificate is provided to the subscriber is based on an automated process of Penneo Platform and CA services.

### **4.5. Key pair and certificate usage**

#### **4.5.1. Subscriber private key and certificate usage**

##### **4.5.1.1 Subscriber keys and certificates**

The subscriber's private key and certificate are issued during a specific signing session for one time use. The private key is deleted after the electronic signature is created. If the subscriber needs to complete multiple signing processes, separate keys and certificates will be issued each time, subject to the subscriber's repeated identification and acceptance.

The subscriber's private key is stored in the Remote QSCD's hardware security module and managed by Penneo on their behalf as described in the standard ETSI TS 119 431-1. Penneo's Platform and processes ensure that the private key can only be used under the subscriber's sole control, as part of the signing session in which the corresponding certificate is issued.

The subscriber's responsibility are:

- usage of the private key and certificate according to processes mentioned in this CP;
- usage of the private key and certificate according to relating legal purposes only;
- be informed in advance about electronic signature functionality and necessary steps to be fulfilled.

Subscribers have to inform Penneo's contact places immediately, if:

- suspicion about misuse of a private key or inappropriate the Penneo Platform behaviour arises;
- data in the certificate is not complete or accurate. If the information is inaccurate, the subscriber has to send the information to Penneo contact points and arrange a new registration process.

##### **4.5.1.2 CA keys and certificates**

Requests for key generation for Penneo's Root and subordinate CAs are fulfilled by Penneo's Certificate Operators (COs). Penneo's internal policies ensures that each CO knows:

- Rules and procedures mentioned in applicable CPs for remote electronic signature, seal and time stamp authority;

- Particular initialization processes;
- Procedures for generation of particular CA keys, based on internal procedures and rules; procedures for certificate publication on Penneo's web pages;
- Procedures and internal documents concerning to Penneo security policy;
- Related legal purposes for the use of the private key and certificate;
- Steps to take if:
  - suspicion about misuse of private key arises;
  - data in the certificate is not complete or accurate.

If the information is inaccurate, the CO has to inform Penneo's manager, stop the process in the Platform, and arrange a new registration process.

#### **4.5.2. Relying party public key and certificate usage**

A relying party may be obliged to rely on certificates mentioned in this CP which are consistent with applicable certificate content.

Relying parties are advised to download related CA certificates from Penneo's web pages and verify the content of certificates - at minimum common name, fingerprint and validity - before using subscribers' certificates.

Moreover, they have to verify if the CA is qualified for trustworthy and evaluate whether the certificate issued by a subordinate certification authority pursuant to this policy is suitable for the purpose for which the certificate was issued.

### **4.6. Certification renewal**

Certificate renewal is not provided by Penneo's trust services. Penneo always issues a new certificate.

### **4.7. Certificate re-key**

Certificate re-key is not provided by Penneo's trust services. Penneo always issues a new certificate based on a new application and identification.

### **4.8. Certificate modification**

Certificate modification is not provided by Penneo's trust services. Penneo always issues a new certificate.

### **4.9. Certificate revocation and suspension**

#### **4.9.1. Circumstances for revocation**

##### **4.9.1.1. For certification authorities**

Conditions for the revocation of CAs certificates are:

- suspicions about a private key misusing;
- decision from Penneo's responsible manager.

##### **4.9.1.2 For subscriber certificates**

Not supported.

#### **4.9.2. Who can request revocation**

#### **4.9.2.1. For certification authorities**

Responsible person who can request the revocation:

- Penneo's responsible manager;
- attorney at law (advocate of state organization) based on suspicions of Penneo illegal activities;
- an employee that is defined in the internal documents based on the Penneo's manager request and decision.

The request to revoke the CA certificate in the future is not supported.

#### **4.9.2.2 For subscriber certificates**

Not supported.

### **4.9.3. Procedure for revocation request**

#### **4.9.3.1. For certification authorities**

Procedures are described in relating CP, chapter 4.9.3.

#### **4.9.3.2. For subscriber certificate**

Not supported.

### **4.9.4. Revocation request grace period**

Revocation request must be solved for Penneo's CA services as soon as possible, based on conditions defined in the chapter 4.9.1.1. (no late than 24 hours).

### **4.9.5. Time within which CA must process the revocation request**

Time within which CA must process the revocation request of CAs certificates is maximally 24 hours.

### **4.9.6. Revocation checking requirement for relying parties**

Relying party has to fulfill conditions mentioned in the chapter 4.5.2.

### **4.9.7. CRL issuance frequency**

The Root CA of Penneo's services issues CRL no more than 180 days after the issuance of the previous CRL with validity time 180 days.

Subordinate CAs issue the CRL every 12 hours, with validity time 24 hours.

### **4.9.8. Maximum latency for CRLs**

CRLs of subordinates CA for electronic signature, seal and time stamp are always issued no more than 12 hours after the issuance of the previous CRL.

### **4.9.9. On-line revocation/status checking availability**

For Root CA is not present on-line certificate status - root CA is offline.

OCSP protocol is not used.

### **4.9.10. On-line revocation checking requirements**

OCSP is not used.

### **4.9.11. Other forms of revocation advertisement available**

Other forms are not supported.

#### **4.9.12. Special requirements re-key compromise**

The process is the same as during the revocation request.

#### **4.9.13. Circumstances for suspension**

Not supported.

#### **4.9.14. Who can request suspension**

Not supported.

#### **4.9.15. Procedure for suspension request**

Not supported.

#### **4.9.16. Limits on suspension period**

Not supported.

### **4.10. Certificate status services**

#### **4.10.1. Operational characteristics**

Certificates issued by the CA for subscriber's electronic signature are published in public repository. Inside of certificates is subscriber's personal name and identification.

Certificates issued for CAs are published in public repository. Inside of certificates is identification of Penneo.

CRLs are regularly issued and published on Penneo's web pages.

#### **4.10.2. Service availability**

Services of Penneo's PKI are available for 7 days a week, 24 hours a day.

CRL is available on addresses defined in certificates and published on Penneo's web pages.

Penneo secures stable operation but is not liable for irregularities in operations caused by factors that are outside Penneo's control. Penneo will restore normal operations as soon as possible.

Penneo ensures accessibility to the Platform during the term of the Agreement - it is an uptime of 99.9%

The uptime is measured and calculated per calendar month based on service time 24/7. In the calculation of uptime, downtime of which notice has lawfully been given in pursuance of the Agreement or which has otherwise expressly been accepted by the subscriber is not included.

The Penneo solution is independent of other organizations for its decisions relating to the establishing, provisioning and maintaining and suspending of services in conformance with the applicable certificate policies.

The subscriber can at any time see the status of Penneo's uptime at [status.penneo.com](http://status.penneo.com).

#### **4.10.3. Optional features**

CRL is available 7 days a week, 24 hours.

### **4.11. End of subscription**

Penneo's CA issuing certificates for subscribers (physical or legal), performs qualified services and is responsible to perform the all promised activities mentioned inside CPS and/or this CP for the all time period of certificates are valid (for the period of validity of the last issued Certificate).

Subscriber's certificates have short validity time and process of validity verification is managed by internal Platform procedures.

Conditions and rules are described in internal Key management documentation.

Subscription period for access and usage of the Platform is defined by the agreement between Penneo and customers. Either Party may terminate the customer Agreement according to the terms of the contract and the Data Act. If the Agreement is not terminated at the latest 3 months before the expiry of the subscription period, this gives rise to a new subscription period of 12 months.

The End User License Agreement defines access and usage of the Platform for signers.

## **4.12. Key escrow and recovery**

### **4.12.1. Key escrow and recovery police and practices**

Penneo does not use key escrow services.

### **4.12.2. Session key encapsulation and recovery policy and practices**

Penneo uses hardware security modules and procedures defined by the supplier for completion of the CA keys during recovery. Parts of keys are encrypted and cannot be transferred in readable form. After activation the private key never leaves the secure cryptographic environment.

# **5. Facility, Management, and Operational Controls**

## **5.1. Physical security controls**

### **5.1.1. Site location and constructions**

Site location and constructions are physically protected and secured. The data centre center is strategically located to ensure they have power availability and connectivity.

Penneo's office space shall be secured through appropriate measures. Access to Penneo's office space shall not provide any direct access to internal or confidential information.

Office space does however present an asset that needs to be adequately protected for the access to PKI infrastructure, personal devices and rooms.

Applications are hosted in a cloud solution and used from an external vendor.

Penneo ensures that appropriate physical and environmental controls are in place around the devices issuing certificates.

Physical and environmental controls cover physical access control, perimeter security, natural disasters protection, fire safety, redundant power supply, disaster recovery and more.

### **5.1.2. Physical access**

Penneo ensures that certificate issuing devices and other devices processing sensitive information are kept within secure areas that are protected by multiple appropriate entry barriers and security measures. This includes the following measures to secure the data centres:

- 24x7 security guards on site;
- Outer perimeter protection (fences, bollards, barriers);
- Outer and inner perimeters surveillance cameras;

- Alarm system (sound and visual) and infrared sensors covering the whole perimeter (in and around the building), which are monitored 24×365 by security personnel;
- Physical access is restricted using mantraps, biometric controls and badge access regulated by role-based access;
- Access control system records any entries or exits in the building, private rooms and other private spaces.

### **5.1.3. Power and air conditioning**

Penneo ensures that data centres hosting certificate issuing devices are equipped with sufficient air conditioning and power supply in order to provide suitable conditions for operating devices, as well as reliable and resilient power infrastructure. This includes dual energy access points to the facility, diesel generators with sufficient fuel storage, UPS systems and various redundant elements in the distribution network throughout the premises.

For optimum performance, equipment is maintained and continuously monitored in a climate-controlled environment. The average room temperature and humidity level is controlled at a suitable level. Multiple air conditioning units provide redundant capacity. Down-flow cooling units help ensure maximum cooling of equipment.

### **5.1.4. Water exposures**

Penneo ensures that data center facilities include water detection systems installed in areas that may be susceptible to leakage. The water detection alarms are relayed directly to the service center, as well as to the relevant local security and engineering personnel.

### **5.1.5. Fire prevention and protection**

Penneo ensures that data centre facilities are protected against damage from fire using fireproof doors and walls and fire suppression systems.

Temperature and smoke/fire alarms, optical smoke detectors (under the raised floor and on the ceiling), connected to main fire panel (dedicated per zone) and smoke detection system under floor and overhead and gaseous fire suppression system.

### **5.1.6. Media Storage**

Penneo ensures that devices are handled in accordance to the instructions and protected against theft, damage and unauthorised access.

### **5.1.7. Waste Disposal**

Penneo ensures that devices are disposed in a secure way and data is wiped in an appropriate way prior to disposal.

### **5.1.8. Off-Site Backup**

Penneo ensures that a backup procedure is in place in order to restore services in case of system failure. Penneo stores backup material at two separate locations in order to ensure that certificate issuing devices can be operational in case of a disruption. Other components operated from Penneo's cloud infrastructure are backed up at a second region.

## **5.2. Procedural controls**

### **5.2.1. Trusted roles**

Penneo has defined trusted roles to ensure that persons involved in the operations related to certificate issuing devices do so in a trusted capacity. Trusted roles are defined to prevent conflict of interests and that Penneo's

trusted service does not rely on a single person or that one person can single handedly operate the system.

The following trusted roles have been defined:

- Security Managers
- System Administrators
- System Operators
- System Auditors

### **5.2.2. Number of persons required per task**

Penneo has implemented internal procedures and controls to ensure that no single trusted person shall be able to perform critical tasks alone. Critical tasks include CA key pair generation and generating a CRL.

### **5.2.3. Identification and authentication for each role**

Penneo ensures that persons go through Penneo's hiring process to ensure the suitability and that the person possesses the required qualifications for a given role. Before a person is granted access to certificate generating systems, the person must be formally appointed to a trusted role by the Security Manager.

The authentication to Penneo's trusted systems follows internal procedures and controls.

### **5.2.4. Roles requiring separation of duties**

Penneo applies the need to know and least privilege principles to allocate access rights to users. Certificate generating services and other highly sensitive systems have dual control to ensure that no person can perform changes without the involvement of another trusted person.

## **5.3. Personnel controls**

### **5.3.1. Qualifications, experience, and clearance requirements**

Penneo has defined and implemented a process for hiring that must be followed. The process ensures that the person is identified and fulfills the requirements needed to fill a certain role. Before access is granted to Penneo's trust service, a person must be formally appointed.

### **5.3.2. Background check procedures**

Penneo only appoints personnel who are considered trustworthy to a trusted role. A person must have been through Penneo's hiring process and a check of a persons criminal record must have been performed. When being appointed to a trusted role, the person must acknowledge the responsibility that comes with the trusted role and what requirements apply to the trust service.

### **5.3.3. Training requirements**

Penneo ensures that all new employees complete an onboarding awareness training.

Penneo shall provide persons involved in the development, operations and maintenance of Penneo's trusted service with relevant training based on a trusted person's needs.

### **5.3.4. Retraining frequency and sequence**

Areas that require a certain basic level of awareness on a continuous basis shall be updated at least annually.

As a minimum, all employees shall complete an annual update concerning Security, Compliance, and GDPR.

Trusted persons shall make sure they maintain skill levels necessary to fulfill the tasks related to the trusted role to which they have been appointed.

### **5.3.5. Job rotation frequency and sequence**

Penneo shall ensure that the trust service operations are not affected by personnel changes within Penneo.

### **5.3.6. Sanctions for unauthorized actions**

Penneo will evaluate violations of applicable policies and procedures on a case-by-case basis. Penneo's management will determine appropriate disciplinary actions where necessary.

### **5.3.7. Independent contractor requirements**

Penneo does not engage independent contractors to operate its trust service components. Penneo may engage independent contractors to perform work related to the trust service. Penneo will at all times maintain the control and oversight of the trusted service.

### **5.3.8. Documentation supplied to personnel**

All new employees go through an onboarding process when joining Penneo. During the onboarding the new Penneo is introduced to the organisation, Penneo's values, code of conduct and applicable policies, standards and legislation.

All existing Penneo employees must complete an annual awareness training that includes elements related to information security and data privacy.

## **5.4. Audit logging procedures**

Penneo ensures that relevant activities concerning the operations of the trust service are captured via related audit logs. The integrity, availability and confidentiality of the data transmitted and stored are maintained during the collection of audit data to audit logs.

The audit system:

- ensures the maintenance of audit data and the provision of sufficient space for audit data;
- the automatic non-rewriting of the audit file;
- the presentation of audit records to users in a suitable manner;
- the limited access to audit file for responsible employee only.

### **5.4.1. Types of events recorded**

A set up for creating and storing audit/event logs shall be in place for relevant logs. The setup shall ensure that audit/event logs related to the CAs are collected.

With regard to the requirements of relevant technical standards and the law specified for trust-building services, the trusted Penneo's systems record:

- significant events in the Penneo's environment and keys processing;
- start and end of audit functions, changes in audit parameters;
- all attempts to access the system;
- all events related to the certificate life-cycle;
- events about person's access and registration;
- events about an attempted unauthorized access;
- events related to the subscribers certificate life cycle:
  - events about the issuance of the certificate, including the result;

- about the unjustified request for the issuance of the Certificate, including the result;
- the request for revocation of the certificate, including data of employees or subscribers;
- the unjustified request for revocation of the certificate, including data about the person and the result;
- about the publication of the certificate, including the result;
- revocation and publishing to CRL.

Records in the audit file contain:

- date (year, month, day) and time (hour, minute, second) of the event,
- type of event,
- identity of the employee/subscribers that is performing for the action,
- success or failure of event.

#### **5.4.2. Frequency of processing log**

Logs shall be regularly reviewed for the purpose of detecting suspicious activities.

#### **5.4.3. Retention period for audit log**

Audit logs records shall be kept for at least 7 years from the date of their creation.

Other event logs will not be considered audit logs shall be retained based on internal requirements.

Audit logs will be made available to accredited Auditors upon request.

#### **5.4.4. Protection of audit log**

The audit system is created and operated on the environment with sufficient capacity, without the possibility to use common access to stored data.

Logs are sent to a dedicated log server and logs cannot be edited or deleted by any user.

#### **5.4.5. Audit log backup procedures**

Audit logs shall be securely stored and backups created.

Copies of logs are transferred to a safe environment and access is regulated to responsible persons only.

The steps for audit logs backup procedures are the same as during backups of other electronic information.

#### **5.4.6. Audit collection system (internal vs. external)**

Audit log collection system is operated by Penneo and does not depend on external sources.

#### **5.4.7. Notification to event-causing subject**

No one who caused the incident is informed.

#### **5.4.8. Vulnerability assessment**

Penneo shall perform a risk assessment at least on an annual basis. Risk assessments shall follow the methodology as defined by the ISO 27005 standard.

Penneo shall perform vulnerability scans and penetration testing covering the trusted services including CAs.

The tests shall focus on internal and external threats towards the trust service and the information processes therein.

## 5.5. Records archival

Penneo shall archive records to establish the events that have taken place in relation to the issuance or certificates.

### 5.5.1. Types of records archived

Penneo archives especially:

- records from Root CA and subordinate CA's initialization;
- signed protocol from initializations ceremony;
- audit reports;
- evaluation of Penneo based on legal and law requirements;
- information from business contracts, initialization, cancellation, content of contracts;
- particular version of Platform programs;
- product and technical documentation, application software, version of applications and documents.

### 5.5.2. Retention period for archive

Root CA records and subordinates CA records are archived for the all time of PKI trust services which Penneo uses for business activities.

Audit logs are archived minimally for 7 years.

### 5.5.3. Protection of archive

Archive records are protected against modifications.

### 5.5.4 Archive backup procedures

Archive records are protected based on technical and object security. Inside internal documentation are described requirements for protection of archive records.

### 5.5.5 Requirements for time-stamping of records

In the cases of time stamp usage, Penneo uses electronic qualified time stamps for subscribers.

### 5.5.6 Archive collection system (internal or external)

Penneo uses system based on cooperation with external suppliers. The place is managed by responsible manager of Penneo.

### 5.5.6 Archive collection system (internal or external)

Penneo is responsible for the archiving of relevant logs and documentation. Penneo uses appropriate tools provided by external vendors.

### 5.5.7 Procedures to obtain and verify archive information

The information is kept and is located in the locations designated for this purpose and is accessible to:

- Penneo's employees, if required for their activities,
- authorized supervisory and control bodies and bodies active in criminal matters, if it is required by other standards.

## 5.6 Key changeover

Penneo distinguishes between several types of actions:

- common change of root CA keys - before expiration of valid certificate, minimally a year in advance has to be new ceremony of keys generation and issuing of the new root CA certificate (self-signed certificate).
- common change of subordinates CA keys - before expiration of valid certificate, minimally a year in advance has to be sent new certification application for subordinates CA;
- common keys change of electronic seal and time stamp certificate - before expiration of common and valid certificate - minimally 1 year before, is issued the new key pair and the new certificate;
- after suspicion of abuse of the private key - immediately after suspicion, is issued the new key pair and the new certificate,
- after possible technical problems - based on:
  - lower security of cryptographic algorithms,
  - length of keys,
  - new methods and improving of security,

is issued the new key pair and new certificate.

Upon expiration of CAs certificates the old ones has to be deleted and written protocol created. The back up and cryptographic environment has to be initialized.

Information about changes of CAs certificates has to published on Penneo's web pages in advance.

## 5.7. Compromise and disaster recovery

### 5.7.1 Incident and compromise handling procedures

Penneo established business continuity procedures and disaster recovery plans, which includes:

- procedures that solve incidents and compromise problems;
- business continuity management and disaster recovery policy;
- risk management policy.

Risk management is performed regularly and must be performed at least on an annual basis but should be updated whenever new relevant threats and vulnerabilities are identified. Hence, the risk management process is continuous.

The risk identification shall only take relevant risks into account. Risks considered negligible due to an extremely low probability of occurrence or extremely low potential impact will not be included for further analysis in as part of the risk assessment.

Special internal procedures addresses problems with:

- misusing of CA private key. Immediately actions have to be performed, as described in internal procedures;
- lost of necessary and needed data or misuse of private information;
- breach of security with impact on business of Penneo's;
- lost of documentation and detailed description of processes;
- breach of Penneo Platform or outages of used SW and HW.

Analysis and recovery processes have to be started.

## **5.7.2 Computing resources, software, and/or data are corrupted**

Corruption of computing resources, software and data security are managed by internal procedures and resources. Service level agreements are concluded to agreement with suppliers.

## **5.7.3 Entity private key compromise procedures**

In the case a root CA private key is compromised Penneo will:

- disconnect usage of automated Platform and cooperating PKI services for remote electronic signature, seal and time-stamp;
- revocation of the root CA certificate;
- revocation of subordinates CA certificates;
- revocation of all valid certificates issued by those CAs.

Immediately publish information on Penneo's web pages and revoked certificates are published in relating CRLs. Information about revocation activities has to be sent to all subscribers (based on agreements between Penneo's and subscribers).

All private key (including seal private key) and back-ups will be deleted and secure encryption environment initialised. About initialisation and private key destroying is written protocol signed and published.

In the case a subordinate CA private key is compromised Penneo will:

- immediately stop usage of the particular CA certificates and disconnect usage of automated Platform and cooperating particular CA service;
- revocation of the particular CA certificate by the Root CA and issuing of the new CRL;
- all subscribers will be informed about private key compromising and will be notified of the particular CA termination;
- revocation of all certificates issued by the particular CA and issuing of the new CRL.

The particular CA private key and back-ups will be deleted and secure encryption environment initialized. About initialization and private key destroying is written protocol signed and published.

## **5.7.5 Business continuity capabilities after a disaster**

Penneo uses hosting providers that have necessary measures in place to deal with unexpected events. Penneo manages business continuity capabilities and has internal procedures for reacting to different scenarios.

# **5.8 CA or RA termination**

## **5.8.1. CA termination**

The Qualified Trust Service provided by Penneo is a significant asset to the company. This means that any significant changes will be discussed at executive and board level. I.e.

Penneo has a Termination Policy that has been signed by the CEO. This ensures that the CEO is aware of the requirements related to any termination of Qualified Trust Service by Penneo and that this must be communicated to subscribers.

Penneo has a documented process for company announcements and guidelines for information that is considered insider information and therefore must be announced to the market.

The termination policy will take effect if management decides to either terminate trust service operations in whole or in part or transfer the ownership of the operations to a third party in whole or in part, the following steps must be taken and detailed plans must be prepared to ensure successful execution.

Termination of the trusted service in its entirety or in part (e.g. only time stamp issuing but not remote signing) can be realized through one of the following options:

Penneo's management decides to cease operations of the trusted service as a whole or in part.

Penneo will keep operating the domain and Certificate Revocation List (CRL) to ensure continuous validation of existing signatures, timestamps and certificate issuing despite the service as a whole or in part being terminated.

Penneo must cease operation of trusted service and has no possibility to keep operating the domain and CRL to ensure continuous validation of existing signatures.

a CRL must be issued with the same validity as the Certificate Authority (CA) in order to verify existing signatures;

the operations including CA and CRL are handed over to the supervisory body or another reliable party which will ensure continuous validation of existing signatures.

Trusted service is transferred to another certified TSP.

In case management decides on a new strategic direction, which leads to either Penneo choosing to terminate/cease operations or transferring the ownership of the operations to a third party, the following steps must taken and detailed plans is prepared to ensure successful execution:

- preparation phase
- execution phase
- communication phase

Every information is backed up and accessible to all clients and legal companies for possible securing evidence.

Penneo ensures the all operation for the necessary period - availability of CRL, CP, PS and CPS for issued certificates and time period is minimal to the last valid of issued certificates.

The process of CA or PKI services termination is managed based on internal documentation and internal plans: Termination Policy (for QTS).

All private keys have to be deleted and the secure cryptographic module initialized.

## 5.8.2. RA termination

Process of RA termination is described within internal RA/IP documentation and the agreement between Penneo company and companies performing activities in roles of identity providers/Registration authorities.

# TECHNICAL SECURITY CONTROLS

## 6.1 Key pair generation and installation

Penneo uses algorithms, method, length and all certificate life cycle's best practices for creation of cryptographic keys. Before modification of trusted modules testing and verification has to be performed and verified if capability and efficiency is not broken and declaration of cryptographic modules status is not changed. The complex steps and procedures are part of internal documentation under Risk Management and Key management documentation.

### 6.1.1 Key pair generation

The Root and the Subordinates CAs key pair generation is performed as a scripted ceremony in a dedicated area and according to a prepared internal script detailing the procedures.

The ceremonies must be attended by specific roles:

- Internal Auditor/Witness
- Security Officer
- CA Operator

External auditor in case of Root CA

Keys generated for root CA are saved in the secure cryptographic module evaluated by Common Criteria certified level 5 (CC EAL 5).

Keys generated for subordinate CAs are saved in the secure cryptographic modules evaluated by Common Criteria certified level 4+ (CC EAL 4+).

The generation of key pairs for creating a remote electronic signature, electronic seal, and electronic time stamp is performed in secure cryptographic modules, which are under the control of Penneo and fulfills the requirements of standards EN 419 221-5. The process is specified in the corresponding Certificate policy.

The used script is signed by participants. This script contains information such as:

- names and roles of participants ;
- date and time of each step in script;
- relevant information for each step;
- signatures of all employees who generated the keys.

### **6.1.2 Private key delivery to subscriber**

Subscribers private keys are saved in the secure cryptographic module and are available via the remote Platform applications.

For CAs private keys used for remote electronic signature, electronic seal and time stamp is not relevant - private keys are saved in the secure cryptographic module and everything is managed via the remote Penneo Platform.

### **6.1.3 Public key delivery to certificate issuer**

Not relevant. The key pairs are generated in the secure cryptographic module automatically and the certificates are immediately implemented to a tree of the Penneo Platform with corresponding PKI services for qualified remote electronic signature, time-stamp and sealing.

For subscribers is the key pair generated in the secure cryptographic module automatically. Public key is a part of a certificate and is used by the Platform for electronic signature verification.

### **6.1.4 CA public key delivery to relying parties**

CAs public keys are part of CA certificates. Moreover it is possible to download from Penneo's web server.

### **6.1.5 Key sizes**

Key size of root CA is 4096 bits (RSA algorithm).

Key size of subordinate CA and TSA certificates is 4096 bits (RSA algorithm).

Key size of subscribers certificates is 3072 bits or higher (RSA algorithm).

### **6.1.6 Public key parameters generation and quality checking**

Parameters of keys are relevant to legal requests for eIDAS or EU and standards. Key pairs are generated based on the supplier's delivered software and hardware generation tool and use mechanisms from the secure cryptographic modules.

Parameters for subscribers are defined in advance and implemented to the hardware security module which is responsible for the key pair generation.

### **6.1.7 Key usage purposes (as per X.509 v3 key usage field)**

Key usage purposes are defined in the certificate extension.

## **6.2 Private Key Protection and Cryptographic Module Engineering Controls**

All private keys are saved in cryptographic hardware security modules owned and controlled by Penneo.

Subscribers' keys can only be activated through the Platform's automated services to customers and signers. The hardware security modules are integrated in the Platform according to technical standards.

Private keys of CAs services are used exclusively for purposes defined in CPS and corresponding CP.

### **6.2.1 Cryptographic module standards and controls**

Standard for root CA cryptographic hardware security module is Common Criteria EAL 5 (CC-18-98209). A trusted channel and public key attestation allow remote key generation and certificate issuance. Advanced key management functions provide for key backup and escrow.

Generation of remote key pairs for subordinate CAs (for remote electronic signature, seal and time stamps) are performed in the hardware security modules which are certified by Common Criteria as well (Common criteria level 4+).

Before initialisation procedure Penneo verifies if all hardware security modules are sent in the original packaging and delivery is without complication or problems.

### **6.2.2 Private key (n out of m) multi-person control**

The primary purpose of the key management is to maintain the assurance of confidentiality and integrity for any cryptographic key. It requires an efficient and secure key management process (key distribution, key exchange, key storage, key archive), which must be documented including its adhering roles and responsibilities. The secure and proper management of cryptographic keys is critical to the effective and proper use of encryption techniques.

The control over the private key is split using a n-of-m scheme for the private credentials. In such a scheme m defined and responsible employee are given a private credentials and n defined and responsible employee must come together to activate the private key.

Responsible employees do not perform a key life cycle operations without cooperation with other defined employee.

The subscriber's private key is available to the subscriber during remote and automated remote signing process only.

Access control to sensitive private keys is shared amongst a group of Penneo key responsible employees, each one able to authenticate using his own private credentials.

### **6.2.3 Private key escrow**

It should be do not relevant for CP - or if Penneo uses it ?

The service of private key escrow is not provided for subscribers.

Escrow of subordinates CAs private keys are carried on to cryptographic module devices based on processes and tools managed by Penneo.

Escrow of root CA private key is managed by Penneo and performed during initialization process.

Private key escrow is described in internal documentation.

## 6.2.4 Private key backup

The secure cryptographic environment supports encrypted key backup and restore using mechanisms that can be set during cryptographic modules initialisation.

The mechanisms ensure that cryptographic material is never exposed in plain. Any media containing private key components used for loading cryptographic keys must be maintained in a secure location and accessible only to authorized employees. When removed from the secure storage location devices containing key components are for the minimum practical time necessary to complete the key-loading process.

The media upon which a component resides must be physically safeguarded at all times when removed from secure storage.

Subscribers private key is not backup. They are generated and processed only once.

## 6.2.5 Private key archival

After the expiration of the private keys of the root certification authority or after Penneo's PKI termination keys are destroyed, including the backups and the cryptographic module is initialised.

## 6.2.6 Private key transfer into or from a cryptographic module

Transferring of the keys should be minimised.

Transfer of the private key from back-up into cryptographic module is possible during recovery process. The private key leaves the cryptographic module in encrypted form based on backup and recovery processes specified in internal documentation only.

Authentication minimally two authorized Penneo's employees is necessary for recovery purposes based on internal processes. Written protocol is created and approved by Penneo's manager.

## 6.2.7 Private key storage on cryptographic module

Private keys of Penneo's PKI Services in unencrypted state are stored in activated and initialized hardware security modules that meet the requirements of the legislation for qualified trust services.

For cryptographic module activation and initialization minimally two authorized Penneo employees have to cooperate.

The subscriber's private key for electronic signature certificates is stored in the cryptographic hardware security module and deleted after the signature has been created. If the subscriber needs to complete multiple signing processes, separate keys and certificates will be issued each time, subject to the subscriber's repeated identification and acceptance.

## 6.2.8 Method of activating private key

The subscriber's private signing key is activated by the Penneo Platform on their behalf during the automated remote signing process.

The private keys of Penneo's TSA certificate and seal certificate are activated by the Penneo Platform through the Platform's automated process, subject to authorisation as described in internal documentation.

Activation of private keys of the CAs certificates is performed with the direct personal participation of at least two Penneo's responsible persons authorized by Penneo's management. Such activation is performed according to a precisely determined procedures and tools managed by Penneo, which are regulated by internal documentation.

A written protocol is created based on performed activities.

## 6.2.9 Method of deactivating private key

Deactivation of CAs private keys is performed with the direct personal participation of at least two Penneo's responsible employees authorized by Penneo's management. Deactivation of private keys is performed according to a determined procedure. Written protocol is created.

Deactivation/deleting of subscribers' private keys is managed by the Penneo Platform after the last phase of remote electronic signature creation.

### **6.2.10 Method of destroying private key**

Destroying of private keys is done if:

- the secure cryptographic module has to be used for other purposes;
- the validity of secure cryptographic module ends;
- the Penneo terminates trusted services;
- new subsequent certificate is issued;
- revocation or expiration of certificates.

Destroying is performed by means and tools of the hardware secure cryptographic modules managed by Penneo.

External media on which backups of the private keys are stored are also destroyed. The destroying, consisting in the physical destroying of these carriers, takes place with the direct personal participation of at least two Penneo's responsible employees approved by Penneo's manager.

### **6.2.11 Cryptographic Module Rating**

Penneo uses cryptographic hardware security modules (HSMs) for key pairs generation and storage of CAs private keys. The HSMs meet the requirements of the legislation for qualified trust services (The Common Criteria EAL 5 and 4+).

The HSMs are integrated in Penneo's Platform and are certified for qualified remote electronic signature, seal and time stamp. The implementation and security is regularly monitored and checked.

## **6.3 Other aspects of key pair management**

### **6.3.1 Public key archival**

Penneo archives all issued certificates.

Retention period is a minimum of 7 years.

### **6.3.2 Certificate operational periods and key pair usage periods**

Subscriber's operational period of certificates is defined in the subscriber's certificate for specified time. There is no difference between operational and key pair usage period. The last subscriber certificate will be issued in date prior to expiration of certificates for the trust PKI services.

Certificates for Penneo's PKI services are issued for time specified in the particular certificate. The operational period may end by revocation request. Penneo's trust certificates are not used beyond end of validity.

## **6.4 Activation data**

### **6.4.1 Activation data generation and installation**

Activation data fulfils requirements of implemented and initialised hardware security module (data length, data composition, data distribution).

Details are provided in the particular CP, see chapter 6.4.1.

## 6.4.2 Activation data protection

Activation data is handled within the Platform through secure network connections. Protection of the relevant Platform components and network is described in internal documentation.

Details are provided in the particular CP, see chapter 6.4.2.

## 6.4.3 Other aspects of activation data

Activation data of CAs must not be transmitted or kept in an open form.

# 6.5 Computer security controls

## 6.5.1 Specific computer security technical requirements

The strategic goal of Penneo is to make information security as the integral part of the company culture.

The key strategic goals for the Penneo's business:

- Keep subscriber's data confidential and safe;
- Deliver signed documents with the following verifiable properties:
  - The identity of the signer(s) can be uniquely established (Authenticity);
  - The signer(s) cannot deny having signed the document (non-repudiation);
  - The document can not be modified undetected (Integrity).
- Keep product reliability and availability as close to 100% as possible.

Penneo shall implement necessary technical and organizational security measures against sensitive data being accidentally or unlawfully destroyed, lost or impaired and against any unauthorized persons receiving the personal data, the personal data being abused or otherwise processed contrary to the legislation.

## 6.5.2 Computer security rating

- Family ITU-T
  - 501, X.509, X.520
- RFC
  - 2560, 3647, 5280, 6962
- ISO/IEC
  - 17021, 17065, 3166-1
- ETSI TS 119 312 Electronic Signatures and Infrastructures (ESI); Cryptographic Suites.
- ETSI EN 319 401 Electronic Signatures and Infrastructures (ESI); General Policy Requirements for Trust Service Providers.
- ETSI EN 319 411-1 Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 1: General requirements.
- ETSI EN 319 411-2 Electronic Signatures and Infrastructures (ESI); Policy and security requirements for Trust Service Providers issuing certificates; Part 2: Requirements for trust service providers issuing EU qualified certificates.
- ETSI EN 319 412-1 Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 1: Overview and common data structures.

- ETSI EN 319 412-2 Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 2: Certificate profile for certificates issued to natural persons.
- ETSI EN 319 412-3 Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 3: Certificate profile for certificates issued to legal persons.
- ETSI EN 319 412-5 Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 5: QC Statements.
- CEN/TS 419 261 Security requirements for trustworthy systems managing certificates and time-stamps.
- FIPS PUB 140-2 Requirements for Cryptographic Modules.
- The Common Criteria for Information Technology Security Evaluation (CC), and the companion Common Methodology for Information Technology Security Evaluation (CEM) are the technical basis for an international agreement, the Common Criteria Recognition Arrangement (CCRA),

## 6.6 Life cycle technical controls

### 6.6.1 System development controls

Penneo's software is built from the ground up to be easy and painless to deploy and maintain.

Hardware used to operate to issue certificates are from trusted sources and checked and used according to manufacturing specifications.

All releases are done according to Penneo's software development policy, which includes testing and reviews prior to release.

### 6.6.2 Security management controls

Verification of controls is performed regularly base on ISO/IEC 2700X principles and standards. In order to ensure compliance to policies and working instructions as defined within this ISMS continuous monitoring and auditing shall be implemented and tracked. The responsibility for the monitoring and auditing lies with the Information Security Manager who is the head of the Risk & Compliance department.

### 6.6.3 Life cycle security controls

Penneo uses during the all phases of development and implementation independent life-cycle security controls defined in internal documentation /and others standards.

Penneo performs clearly defined process for development of software from the storage and management of source code to deployment of releases and hot fixes.

## 6.7 Network security controls

Penneo uses layered security of its networks that operate the trust service.

Network segmentation is implemented to ensure that Penneo's applications are logically separated and no access to other resources is permitted.

Penneo's production environment is not directly accessible from the internet.

Penneo's root CA is off-line. It is not connected to a network.

## 6.8 Time-stamping

Time-stamping is used during remote electronic signature and seal and the all data is verified and transferred by secure channel.

# CERTIFICATE, CRL, AND OCSP PROFILES

## 7.1 Certificate profile

Certificates issued according to this CPS are in accordance with the standard ISO 9594-8 (X.509) and RFC 5280 - Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile.

Content of certificates are defined in the particular CP. Penneo uses certificate profiles described in internal documentation. Commonly used table:

### Basic certificate fields:

#	Field	Sub-fields in SEQUENCE	Description	Value
1	validity			ASN.1 SEQUENCE
2	subjectPublicKeyInfo			ASN.1 SEQUENCE
3	extensions		Sequence of one or more certificate extensions. See Certificate Extensions below for details.	ASN.1 SEQUENCE
4	serialNumber		Unique serial number of the certificate assigned by the CA.	Positive integer explicitly assigned by the CA
5	signatureValue		Qualified electronic seal of the trust service provider Intermediate CA.	Signature represented as BIT STRING
6		notBefore	The date on which the certificate validity period begins	UTCTime
7		notAfter	The date on which the certificate validity period ends.	UTCTime
8	issuer		Distinguished Name of the Issuer's certificate.	X.501 type Name
9	subject		Identification of the entity associated with the public key stored in the SubjectPublicKeyInfo field. See Subject Field below for details.	X.501 type Name
10	signatureAlgorithm		Cryptographic algorithm identifier, describing the algorithm used to sign the certificate by the CA.	minimum SHA256WithRSAEncryption (1.2.840.113549.1.1.11)
11		algorithm	Identifies the algorithm with which the key is used.	minimum SHA256WithRSAEncryption (1.2.840.113549.1.1.11)
12		subjectPublicKey	Public key of the associated entity.	minimum 3072 bits for RSA keys
13	version		Version of the certificate that complies with X.509	v3 (0x2)

#	Field	Sub-fields in SEQUENCE	Description	Value
			standard, version 3.	

**Subject field:**

Item	Description	Value	Mandatory / Optional / Critical	
1	countryName	Country code.	Two characters based on ISO 3166 DK for Denmark	
2	givenName	Subscriber's first name.		
3	surname	Subscriber's surname.		Possibility to include any additional surname (middle name, birth name).
4	commonName	Identification of the subscriber within the CA.		
5	organisationName	Organisation name where the subscriber is employed or which is represented by the subscriber.	Name of the organisation based on the Business Register	
6	organisationIdentifier	Identification number of the organisation.	id-etsi-qcs-SemanticsId-Legal semantics	id-etsi-qcs-SemanticsId-Legal as defined in ETSI EN 319 412-1 - Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 1: Overview and common data structures.
7	serialNumber	Identification of the subscriber.	id-etsi-qcs-SemanticsId-Natural semantics	id-etsi-qcs-SemanticsId-Natural as defined in ETSI EN 319 412-1 - Electronic Signatures and Infrastructures (ESI); Certificate Profiles; Part 1: Overview and common data structures.
8	title	Designated position or function of the subject within the organization specified.	String	

### 7.1.1 Version number(s)

see Chapter 7.1

### 7.1.2 Certificate extensions

#	Extension	Description	Content	Mandatory / Optional / Critical
1	AuthorityKeyIdentifier			Two characters based on ISO 3166
2		keyIdentifier	Identification of the public key corresponding	160 bit SHA-1/SHA-512 hash function on the value of the public key of the signing CA certificate

#	Extension	Description	Content	Mandatory / Optional / Critical
			to the private key used to sign a certificate.	
3	SubjectKeyIdentifier		Identification of certificates that contain a the subject public key.	160 bit SHA-1/SHA-512 hash function on the value of the public key of the subscriber's certificate
4	KeyUsage		Defines the purpose of the key contained in the certificate.	digitalSignature nonRepudiation
5	CertificatePolicies		Sequence of one or more policy information terms according to which was certificate issued.	
6	PolicyInformation [1]	policyIdentifier	Identification of the policy.	OID of the certificate policy
7		policyQualifiers	Pointer to a Certification Practice Statement (CPS) published by the CA.	cPSuri: http... userNotice: This qualified certificate for the electronic signature was issued in accordance with Regulation (EU) No 910/2014. This is a qualified certificate for electronic signature according to Regulation (EU) No 910/2014.
8	PolicyInformation [2]	policyIdentifier	Identification of the policy.	QCP-n-qscd 0.4.0.194112.1.2
9	SubjectAlternativeName			
10		rfc822Name	E-mail address of the subscriber.	Valid e-mail address
11	BasicConstraints		Identifies whether the subject of the certificate is a CA and the maximum depth of valid certification paths that include this certificate.	

#	Extension	Description	Content	Mandatory / Optional / Critical
12		CA	Identifies whether the subject of the certificate is a CA.	FALSE
13	ExtendedKeyUsage		Indicates one or more purposes for which the certified public key may be used, in addition to or in place of the basic purposes indicated in the key usage extension.	MS Document Signing: 1.3.6.1.4.1.311.10.3.12
14	CRLDistributionPoints		Identifies how CRL information is obtained.	URI <a href="https://crl.prod.qs.penneo.cloud/crl/&lt;Name of the CA issuing CRL&gt;/&lt;Id of the CRL&gt;.crl">https://crl.prod.qs.penneo.cloud/crl/&lt;Name of the CA issuing CRL&gt;/&lt;Id of the CRL&gt;.crl</a>
15	AuthorityInformationAccess		Indicates how to access information and services for the issuer of the certificate.	
16		id-ad-calssuers	Access CA certificate.	URI <a href="https://ca.prod.qs.penneo.cloud/ca/&lt;Name of the CA&gt;/&lt;Id of the CA&gt;.crt">https://ca.prod.qs.penneo.cloud/ca/&lt;Name of the CA&gt;/&lt;Id of the CA&gt;.crt</a>
17		id-ad-ocsp	Access CA OCSP service.	URI
18	QCStatements			
19		id-etsi-qcs-QcCompliance	QCStatement claiming that the certificate is a EU qualified certificate or a certificate being qualified within a defined legal framework from an identified country or set of countries.	0.4.0.1862.1.1
20		id-etsi-qcs-QcSSCD	QCStatement claiming that	0.4.0.1862.1.4

#	Extension	Description	Content	Mandatory / Optional / Critical
			the private key related to the certified public key resides in a QSCD.	
21		id-etsi-qcs-QcType	QCStatement claiming that the certificate is a certificate of a particular type.	id-etsi-qct-esign
22		id-etsi-qcs-QcPDS	QCStatement regarding location of PKI Disclosure Statements (PDS).	URL and language 0.4.0.1862.1.5

### 7.1.3 Algorithm object identifiers

see Chapter 7.1

### 7.1.4 Name forms

see Chapter 7.1

### 7.1.5 Name constraints

see Chapter 7.1

### 7.1.6 Certificate policy object identifier

see Chapter 7.1

### 7.1.7 Usage of Policy Constraints extension

see Chapter 7.1

### 7.1.8 Policy qualifiers syntax and semantics

see Chapter 7.1

### 7.1.9 Processing semantics for the critical Certificate Policies extension

see Chapter 7.1

## 7.2 CRL profile

Penneo supports CRL version 2, available through certificate register according to standard DAP (LDAP).

As an alternative to CRL in LDAP Penneo can use a WEB services or other services passing for certificates verification.

Field	Sub-fields in SEQUENCE	Description	Value	Mandatory / Optional / Critical
1	version		Version of the certificate that complies with X.509	v2 (0x1)

Field	Sub-fields in SEQUENCE	Description	Value	Mandatory / Optional / Critical
			standard, version 3.	
2	signatureAlgorithm		Cryptographic algorithm identifier, describing the algorithm used to sign the certificate by the CA.	minimum SHA256WithRSAEncryption (1.2.840.113549.1.1.11)
3	issuer		Distinguished Name of the Issuer's certificate.	X.501 type Name
4	thisUpdate		Issue date of the CRL	UTCTime
5	nextUpdate		The date by which the next CRL will be issued.	UTCTime
6	revokedCertificates		List of revoked certificates.	
7		userCertificate	Serial number of revoked certificate.	CertificateSerialNumber
8		revocationDate	Time when the certificate was revoked.	UTCTime
9		crlEntryExtensions	Sequence of one or more certificate revocation list extensions. See CRL Extensions below for details.	ASN.1 SEQUENCE
10	crlExtensions		Sequence of one or more certificate revocation list extensions. See CRL Extensions below for details.	ASN.1 SEQUENCE
11	signatureValue		Qualified electronic seal of the trust service provider Intermediate CA.	Signature represented as BIT STRING

## 7.2.1 Version number(s)

see Chapter 7.2

## 7.2.2 CRL and CRL entry extensions

	Extension	Sub-fields in SEQUENCE	Description	Content
1	crlReason		Reason of the revocation.	unspecified (0) keyCompromise (1) cACompromise (2) affiliationChanged (3) superseded (4) cessationOfOperation (5) certificateHold (6) removeFromCRL (8) privilegeWithdrawn (9) aACompromise (10)
2	AuthorityKeyIdentifier			

	Extension	Sub-fields in SEQUENCE	Description	Content
3		keyIdentifier	Identification of the public key corresponding to the private key used to sign a certificate.	160 bit SHA-1/SHA-512 hash function on the value of the public key of the signing CA certificate
4	crlNumber		Unique number of the CRL.	Value up to 20 octets

### 7.3 OCSP profile

OCSP protocol is not used.

## 8. Compliance Audit and other Assessments

To ensure that Penneo's subscribers can trust Penneo and Penneo's Trust Service is audited by an accredited conformity assessment body (Auditor) against the eIDAS regulation and applicable standards.

Penneo's trusted services require implementation of corresponding legislation, standards and procedures to fulfil eIDAS regulation.

Penneo completes ISO 27001 and 27701 certification audits on an annual basis to ensure appropriate internal controls are implemented and effective.

### 8.1 Frequency or circumstances of assessment

Compliance to eIDAS requirements is audited every two years by the accredited Auditor.

ISO 27001 and 27701 audits of internal processes and controls are completed every year by a Certified Public Accountant with Information Security expertise.

Subject to due identification and signing of a non disclosure declaration, Penneo is obliged to allow access to its physical facilitates to authorities, or representatives acting on behalf of an authority, who in accordance with the legislation in force at any time have right to access the facilities.

Penneo also performs internal audits.

### 8.2 Identity/qualifications of assessor

Penneo's Trust Service must be audited by an accredited Auditor. The accredited Auditor must be trained for auditing such services and be independent of the audit subject. The accredited Auditor must be free from conflicts of interest.

Other auditors must be independent of Penneo and able to demonstrate the required expertise and experience in performing audit activities.

### 8.3 Assessor's relationship to assessed entity

External audits must be performed by a person/legal entity independent of Penneo.

Internal audits are performed by Penneo employees.

### 8.4 Topics covered by assessment

Audits must be completed in accordance to the standards applicable for the given audit and meet the requirements of the audit scheme applicable to the defined scope.

## **8.5 Actions taken as a result of deficiency**

Should any deficiencies be identified through any audit activities, appropriate risk treatments must be initiated to remediate the deficiency.

The risk treatment plan is managed as part of the risk management process.

## **8.6 Communication of results**

Results of audits must be reported to Penneo's Information Security Manager in writing for analysis. Deficiencies will be deal with as specified under 8.5.

Audit results will be shared with relevant stakeholders.

# **9. Other Business and Legal Matters**

## **9.1 Fees**

Fees are determined on a case by case basis to match the need of a person or organisation.

It is necessary to differ between a price list of identity provider functioning as registration authority and Services of Penneo.

In the case of cooperation agreement between Penneo and the Customers, fees can be defined in an attachment of the agreement.

### **9.1.1 Certificate issuance or renewal fees**

Penneo issues Certificates as part of its Trust Service and may charge a fee for either issuance of Certificates or Subscription for use of service.

Applicable fees will be stated in the Terms of the contract between Penneo and Customer. The fees paid by the Customer covers certificate issuance, time stamping and sealing for all the Customer's Signers and documents.

### **9.1.2 Certificate access fees**

Subscribers' certificates are used in fully automated processes within the Platform. Since certificates are not accessed separately by subscribers, only the certificate issuance fee applies.

### **9.1.3 Revocation or status information access fees**

Revocation or status information access is free of charge.

### **9.1.4 Fees for other services**

Fees for other services are defined in customers' Agreement.

### **9.1.5 Refund policy**

It is not relevant for this document.

## **9.2 Financial responsibility**

Penneo actively manages its finances through regular budget rounds to ensure sufficient resources to maintain operations and further develop the trust service. Since the beginning of 2025 Penneo is no longer a listed company but operates as a wholly owned subsidiary of Visma AS. Through this ownership structure, Penneo has access to Visma's cash pool. Visma is one of the world's leading software companies, owned by HG Capital, which provides Penneo with a strong and stable financial foundation.

### **9.2.1 Insurance coverage**

Penneo has insurance coverage of its civil liability, with an insurance of professional civil liability that complies with the current regulation applicable and to maintain the customary and sound insurance level, including as a minimum product liability insurance and general liability insurance to cover Penneo's liability in accordance with our customer agreements. In addition to this, Penneo is liable for product liability in accordance with the general rules of damages of Danish law. Penneo's liability for damages in each case, is limited to the amount which is paid out in accordance with Penneo's product liability insurance in force at any time.

Penneo declares that it has valid business risk insurance in such a way as to cover possible financial damages.

Penneo has arranged liability insurance for all employees for damages caused by the employer to the extent determined by the Danish Employment Insurance Law and the insurance company.

### **9.2.2 Other insurance and assets**

Penneo declares that it has sufficient financial resources and other financial security for the provision of the Services with regard to the risk of liability for damage.

Detailed information on the assets of Penneo can be obtained from the Annual Report of Penneo published in the Commercial Register.

### **9.2.3 Insurance or warranty coverage for end-entities**

Penneo does not provide this service.

## **9.3 Confidentiality of business information**

### **9.3.1 Scope of confidential information**

Confidential information is everything that is not accessible on web pages of Penneo or available on print papers or governed by a contract between Penneo and subscribers.

Sensitive and confidential information include:

- private keys
- internal documents, rules and procedures
- personal data:
  - In order for the Platform to function in accordance with the Agreement the following personal data will be processed each time:
    - Name,
    - IP-address,
    - e-mail address,
    - Electronic ID informations, and
    - social security number, if this is chosen by the Data Controller for each document send for signing to a third party.
- Penneo's business information;
- Subscriber's business information.

Internal and confidential documents can be shared with external parties if an non-disclosure agreement (NDA) has been signed by either the individually or with the company engaged by Penneo.

### **9.3.2 Information not within the scope of confidential information**

Information outside of scope of confidential information are marked as Public and are available on contact places of Penneo.

### **9.3.3 Responsibility to protect confidential information**

Every employee in the Penneo has a duty to maintain confidential information. It is exactly defined in internal documents.

## **9.4 Privacy of personal information**

### **9.4.1 Privacy plan**

Penneo ensures the protection of personal data for subscribers to whom Penneo provides PKI trust services.

### **9.4.2 Information treated as private**

Penneo provides personal information based on contract between Penneo and subscribers (regulated by the certification policies to subscribers, relying parties, as well as external auditors) for the purpose of a compliance audits, and for legal point of view in cases of criminal activities.

The Data Protection Officer is responsible for ensuring that operational processes within Penneo are in compliance to GDPR.

### **9.4.3 Information not deemed private**

Information not deemed private is everything what is not marked as a private and content is not under protection based on legal acts.

A Data Privacy Statement outlining how Penneo handles personally identifiable information (PII) shall be written and made available to external stakeholders.

### **9.4.4 Responsibility to protect private information**

The Data Protection Officer is responsible for ensuring that operational processes within Penneo are compliant to GDPR.

### **9.4.5 Notice and consent to use private information**

The process is managed by legal acts and regulation. Data Processing Agreement (DPA), which forms part of the contract between Penneo and each respective customer, shall be available. The DPA shall be available on Penneo's website.

### **9.4.6 Disclosure pursuant to judicial or administrative process**

Compliance in regards to the EU regulation General Data Protection Regulation 2016/679 (GDPR). All processed information is accessible to authorities entitled by law in case when it is legally required.

### **9.4.7 Other information disclosure circumstances**

All Penneo's employees shall ensure that his/her behaviour does not result in violations to the privacy of subscribers of Penneo and shall report any incidents including incidents involving PII.

## **9.5 Intellectual property rights**

The Certificate Practice Statement, Certificate Policy, particular Practice Statements and other related documents are protected by the copyright of Penneo company and represent its significant know-how.

Penneo is also owner and holder of rights to the web based application (the structure, the content and particular steps) fulfilling procedures of the certification authorities and trust services for electronic signature, time-stamp and electronic seal.

Penneo has intellectual property rights on issued certificates and used exclusively for electronic signature, time-stamp and seal. Key pairs are the property of the subscribers (legal or natural).

Penneo has a European trademark to the word Penneo, in relation to the function and services the Penneo Sign product provides.

## **9.6 Representations and warranties**

Penneo guarantees that all requirements are met concerning, certificate policies and CPS, and internal documents and procedures.

### **9.6.1 CA representations and warranties**

Penneo manages all PKI trust services and provides qualified services in accordance with:

- relevant certification policy;
- certificate practices statement;
- relevant Practice statement,
- PKI, TSA disclosure agreement,
- internal operational documentation,
- applicable national and EU legislation and legal acts.

#### **9.6.1.1. Penneo's Qualified Root CA**

Penneo's Root Certification Authority guarantees:

- that use CA's private keys only for issuing certificates to subordinate CAs;
- that issues a certificate conforming to the X.509 standard, internal documentation and procedures;
- that publishes the CP on Penneo's web pages;
- that publishes Root CA's certificate on Penneo's web pages;
- that publishes CRLs regularly on Penneo's web pages;
- in the case of Root CA's certificate revocation informs subscribers and relying parties and publishes information about the certificate revocation.

### **9.6.2 RA representations and warranties**

The relation between Penneo and registration authorities (identity providers) are managed via agreement. Registration authorities fulfil their own business model which guarantees that the identity of subscribers is verified and valid based on related legal conditions.

They provide through online service strong electronic identification Penneo needs for trustworthy and qualified services.

### **9.6.3 Subscriber representations and warranties**

All information about representation and warranties are included to the agreement between Penneo and the subscriber.

Penneo rejects any other guarantee that is not enforceable under the laws, except the ones covered in section 9.6.2

Penneo rejects guarantees and applicable disclaimers in the documentation that connects the subscribers and relying third parties in certificates.

Penneo guarantees the subscriber, at least:

- Not factual errors in the information in the certificates, known or made by the Certification Authority.
- No factual errors in the information in the certificates, due to lack of due diligence of the certificate request or to its creation.
- The certificates comply with all the material requirements established in the Certification Practice Statement.

#### **9.6.4 Relying party representations and warranties**

Relying parties follow the CP according to which the Certificate was issued.

#### **9.6.5 Representations and warranties of other participants**

The Cloud provider and data centre co-location are subjects directly involved in the operations of Penneo's PKI and The Platform services based on a contract concluded between providers and Penneo. They must fulfil conditions for continuous services of Penneo's Platform services.

Penneo uses Infrastructure as a service (IaaS) and Time synchronisation from Cloud provider. It provides access to networking features, computers, and data storage space. IaaS gives Penneo the highest level of flexibility and management control over your IT resources. Time synchronisation is described in particular CP for time-stamp. The relationship is managed through AWS Service terms.

The relationship between the co-location data centre and Penneo is managed through Service agreement containing SLA.

### **9.7 Disclaimers of warranties**

Penneo provides guarantees in accordance with chapter 9.6.

### **9.8 Limitations of liability**

Penneo uses qualified PKI services based on this CP and CPS. Penneo is not responsible for damages if subscribers and relying parties have not fulfilled the obligations required by the legal regulation.

Under contract with a customer, the Parties are liable for damages in accordance with the general rules of Danish Law with the limitations set out below, always provided that the limitations apply only if the loss is not attributable to gross negligence or willful intent on the part of the Party committing the tort.

Apart from product liability, the total amount of damages that the Customer can claim from Penneo in accordance with a customer agreement is limited to the smaller of the following:

- the total payment that Penneo has received from the Customer in accordance with their agreement at the time of the claim, or
- EUR 3,500 per claim per year.

### **9.9 Indemnities**

Penneo only provides indemnity, in relation to possible data breaches. Herein either party is obligated to indemnify the other Party for expenses and use of resources in connection with the fulfilment of the obligations of a Party in

relation to a supervisory authority or the data subject, as well as fines imposed by a supervisory authority or a court in so far as these are caused by a breach of the other Party.

## **9.10 Term and termination**

The Agreement takes effect on the date on which the subscriber accepts this Agreement.

There is a period of commitment for access to the Platform for customers that have a subscription with Penneo is 12 months.

Either Party may terminate the Agreement at a written notice of 3 months to expire at the end of the subscription period. If the Agreement is not terminated at the latest 3 months before the expiry of the subscription period, this gives rise to a new subscription period of 12 months.

Penneo's Standard Terms are publicly available at <https://penneo.com/terms/>

### **9.10.1 Term**

This CP is valid based on information of CP publication and approval by Penneo's manager. This document can be replaced by a new version of CP.

The Agreement between Penneo and subscribers takes effect on the date on which the subscriber accepts the Penneo Order Confirmation or otherwise accepts this Agreement ("Time of Commencement").

### **9.10.2 Termination**

Termination of this document can be made by Penneo's manager decision in the case:

- of new version of trust services
- termination of PKI services

### **9.10.3 Effect of termination and survival**

This document is valid to the end of validity of last issued certificates based on the CP.

## **9.11 Individual notices and communications with participants**

The types of personal data and categories of data subjects that Penneo is to process for a subscriber as part of the service delivered is according to the Terms and the Data Processing Agreement.

It is only the subscriber who decides which personal data is to be processed by Penneo and for which purposes this personal data may be processed.

Penneo processes the personal data only in accordance with documented instruction from the subscriber and in accordance with the Legislation in force at any time.

## **9.12 Amendments**

Each Party may at any time with a reasonable prior written and reasoned notice demand amendments to the Data processing agreement if the amendment is necessary to observe the Legislation in force at any time.

The Data processing agreement may furthermore at any time be adjusted in accordance to the terms applicable for the service.

### **9.12.1 Procedure for amendment**

See chapter of 1.5 of this document.

### **9.12.2 Notification mechanism and period**

New version of this document will be published on Penneo's web pages.

### **9.12.3 Circumstances under which OID must be changed**

OID's are published in this CP. OID's are based on international standard and are assigned to Penneo.

All OID's are mentioned in the certification policy and CPS issued by Penneo. The OID is included in related the certificate.

Circumstances for changing are based on Penneo's business changes, new version of certification policy which have some influence on certificate guarantees.

### **9.13 Dispute resolution provisions**

The Parties (Penneo and subscribers) agree that the Agreement has been concluded in accordance with Danish law and that any dispute between the Parties must be settled in accordance with Danish law.

The Parties shall endeavour to settle disputes amicably through negotiation. If a dispute cannot be settled amicably, both Parties are entitled to bring the matter before the Copenhagen City Court in the first instance.

### **9.14 Governing law**

Processes and activities are governed by Danish law.

### **9.15 Compliance with applicable law**

Processes of Penneo's PKI services are in line with valid Danish regulations. Relationship between Penneo and the subscribers are signed and based on the agreement.

If a provision in the Agreement is declared illegal, invalid or unenforceable, the provision must in spite of this be enforced to the greatest extent possible in accordance with current legislation so that the subscribers original intention reflected. Such a provision does not affect the lawfulness or validity of other provisions.

Any provision in the agreement which according to its nature extends beyond the time when the Agreement ends in full or in part shall continue to apply and be binding on the subscribers.

### **9.16 Miscellaneous provisions**

If a provision in the Agreement is declared illegal, invalid or unenforceable, the provision must in spite of this be enforced to the greatest extent possible in accordance with current legislation so that the subscribers original intention reflected. Such a provision does not affect the lawfulness or validity of other provisions.

Any provision in the agreement which according to its nature extends beyond the time when the Agreement ends in full or in part shall continue to apply and be binding on the subscribers.

#### **9.16.1 Entire agreement**

This document applies the trust service provided by Penneo where CAs under this document are being used.

#### **9.16.2 Assignment**

Not supported.

#### **9.16.3 Severability**

Not supported.

#### **9.16.4 Enforcement (attorneys' fees and waiver of rights)**

Not supported.

### **9.16.5 Force Majeure**

If Penneo cannot provide its services in accordance with the Agreement as a result of force majeure, Penneo cannot be held liable for losses on account of that and the Customer cannot terminate the Agreement with immediate effect. If the accessibility to the Service is essentially impossible due to force majeure and this lasts for more than 30 days, either Party may terminate the Agreement in writing with immediate effect but cannot in that connection advance any claims against the other Party.

Penneo must inform the Subscriber without undue delay if a force majeure situation arises. Force majeure is a matter on which Penneo has no influence and which Penneo cannot bypass with reasonable financial and practical measures. Force majeure is for example war, mobilisation, terrorist attack, failure/breakdown of public electricity supply, strike, fire, flood etc.

### **9.17 Other provisions**

Chapter is not relevant for this document.

# PENNEO

*The signatures in this document are legally binding. The document is signed using Penneo™ secure digital signature. The identity of the signers has been recorded, and are listed below.*

*"By my signature I confirm all dates and content in this document."*

## Christel Victoria Høst

PENNEO A/S CVR: 35633766

Chief Operating Officer

Serial number: 66d16c3a-ebd4-4bba-beb5-6d4299861cb9

IP: 2.106.xxx.xxx

2026-01-08 05:26:37 UTC

Mit  

This document is digitally signed using [Penneo.com](#). The signed data are validated by the computed hash value of the original document. All cryptographic evidence is embedded within this PDF for future validation.

The document is sealed with a Qualified Electronic Seal. For more information about Penneo's Qualified Trust Services, visit <https://euti.penneo.com>.

### How to verify the integrity of this document

When you open the document in Adobe Reader, you should see that the document is certified by **Penneo A/S**. This proves that the contents of the document have not been modified since the time of signing. Evidence of the individual signers' digital signatures is attached to the document.

You can verify the cryptographic evidence using the Penneo validator, <https://penneo.com/validator>, or other signature validation tools.